

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
DIVISION OF TRANSPORTATION SYSTEM DEVELOPMENT
NOTICE TO CONTRACTORS**

BIDDERS MUST SUBMIT BIDDING PROPOSALS NO LATER THAN 9 A.M. LOCAL TIME, TUESDAY, December 11, 2018, to the Division of Transportation System Development for the highway work hereinafter described. Bidders must either submit electronic bids on the Internet through the Bid Express™ on-line bidding exchange or submit sealed bidding proposals on the day of the bid opening to 4th Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin. The bidding proposals received will then be publicly opened and the results available in 4th Floor South, Room S437.

Bidders wishing to submit their sealed bidding proposals by mail to the Bureau of Project Development may do so at their own risk. The correct mailing address is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4th Floor South, Room S437, P.O. Box 7916, Madison, Wisconsin, 53707-7916. The correct street address for shipping is: Wisconsin Department of Transportation, Division of Transportation System Development, Bureau of Project Development, 4th Floor South, Room S437, 4822 Madison Yards Way, Madison, Wisconsin, 53705. Bidders wishing to submit their sealed bidding proposals in person prior to the day of the bid opening shall submit them to the Bureau of Project Development, 4th Floor South, Room S437 of the Hill Farms State Transportation Building, 4822 Madison Yards Way, Madison, Wisconsin.

The Bureau of Project Development will not open and will return all sealed proposals that are received later than the time identified above.

ELECTRONIC BIDDING

All bids must be submitted electronically via Bid Express. To request an exception to this requirement, contact the Chief Proposal Management Engineer at (608) 266-3721.

PROPOSAL GUARANTY

With each sealed proposal, the bidder must include a properly executed bid bond or a cashier's check, certified check, bank's check, or postal money order in the amount designated on the Highway Work Proposal made payable to the Department. Certified checks shall be drawn on the account of the bidder submitting the proposal. The bidder may also satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

For electronic bids submitted on the Internet, the bidder must satisfy the proposal guaranty requirements by having a properly executed annual bid bond on file with the Department.

PLANS AND PROPOSALS

Electronic plans and proposals can be obtained by clicking on the applicable month listed on the Bid Letting Schedule page:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/bid-let.aspx>

The Department has hard copy plans and proposals available for office examination in the Bureau of Project Development in Madison and in the respective regional offices where the work is located.

PLAN HOLDERS and ELIGIBLE BIDDERS

To request to be listed as a Plan Holder or Eligible Bidder, you must submit a completed DT1633 form using the [online proposal request application](#) and [users guide](#). This form must be completed and submitted no later than 11:45 AM on the last business day preceding the letting.

Information regarding the confidential bidder option can be found on the HCCI homepage:

<https://wisconsindot.gov/Pages/doing-bus/contractors/hcci/default.aspx>

QUALIFICATIONS OF BIDDERS

Unless otherwise specified in this advertisement, the Department will issue bidding proposals only to those who have established their qualifications for the work to be bid upon. **Any prospective bidder who has not established their qualifications must file a sworn statement with the Department not less than TEN business days prior to the time set for submitting bidding proposals on a form furnished by the Department.** The Department will evaluate this statement and will issue bidding proposals as it deems warranted.

HOURS OF LABOR AND MINIMUM WAGE RATES

Pursuant to regulations provided by applicable federal and/or state laws, the hours of labor and minimum wage rates are set forth in the bidding proposals.

AFFIRMATIVE ACTION

The Wisconsin Department of Transportation, in accordance with the provisions of Title VI of the Civil Rights Act of 1964 (78 Stat. 252, 42 U.S.C. §§ 2000d to 2000d-4) and the Regulations, hereby notifies all bidders that it will affirmatively ensure that any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full and fair opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, or national origin in consideration for an award.

AFFIDAVIT OF NON-COLLUSION

Each bidder shall file a sworn statement executed by or on behalf of the person, firm, association, or corporation submitting the bid, certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. If the bidder fails to submit this sworn statement with the bid, the bidding proposal is irregular, and the Department will reject it.

For electronic bids submitted on the Internet, the bidder must satisfy the affidavit of non-collusion requirements by properly completing and submitting their bid through the Bid Express™ on-line bidding exchange.

For sealed proposals, the bidder must satisfy the affidavit of non-collusion requirements by signing the cover of the bidding proposal and having it properly notarized.

SUMMARY SHEET

For your convenience, a summary sheet has been compiled to list the jobs under their classifications.

GENERAL CONSTRUCTION

1, 2, 3, 8, 10, 11, 12, 14, 15, 16, 17, 19, 21, 22, 23, 24, 25, 27, 28, 30, 32, 34, 35, 36

GRADING

CONCRETE PAVEMENT

15, 24

ASPHALTIC PAVEMENT

17, 19, 21, 22, 31

STRUCTURES

3, 4, 5, 6, 7, 8, 9, 10, 13, 18, 20, 25, 26, 28, 30, 33

BRIDGE PAINTING

STREET OR AIRPORT LIGHTING

BUILDING CONSTRUCTION

INCIDENTAL CONSTRUCTION

11, 29, 35

1. Illinois State Line - Madison, USH 14 Interchange North to Kennedy Road; Illinois State Line - Madison, USH 14 Interchange North to Kennedy Road; Illinois State Line - Madison, USH 14 Interchange; Humes Road, City of Janesville, Lexington Street - Pontiac Drive; Rock County; 1005-10-77, WISC 2019 001; 1005-10-83; 1005-10-87, WISC 2019 002; 5569-00-71, WISC 2019 004; IH 39; IH 39; IH 39; USH 14; 2.614 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridge Construction, Noise Barrier Walls, Retaining Walls, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Barrier, Beam Guard, Signs, Sign Bridges, Overhead Sign Supports, Pavement Markings, Fence, Plantings, Traffic Signals, Street Lighting, ITS, Ramp Closure Gates, and Water Main.

Guaranty Required: \$1,000,000.00

Estimate of Principal Items: Excavation Common, 894,098 CY; Selected Borrow, 143,452 CY; Backfill Granular, 37,635 CY; Backfill Structure, 9,230 Ton; Base Aggregate Dense, 312,487 Ton; Select Crushed Material, 412,470 Ton; Concrete Pavement, 398,989 SY; Concrete Masonry Bridges, 3,697 CY; Prestressed Girders, 5,932 LF 36-Inch, 9,325 LF 5,105-Inch; Bar Steel Reinforcement, 188,500 Lbs; Bar Steel Reinforcement Coated, 2,252,360 Lbs; Piling CIP Concrete, 2,880 LF 10 3/4-Inch, 16,290 LF 12 3/4-Inch; Marking Tape, 54,300 LF; Marking Epoxy, 412,888 LF; Marking Paint, 2,454 LF; Construction Staking, 4 LS; Culvert Pipe Corrugated Steel, 67 LF 12", 590 LF 24", 646 LF 15", 15 LF 30", 664 LF 18", 114 LF 42"; Culvert Pipe Reinforced Concrete, 604 LF 18", 1,071 LF 24", 110 LF 30"; Storm Sewer Pipe Reinforced Concrete, 5,318 LF 12", 8,276 LF 24", 5,657 LF 42", 12,850 LF 15", 2,546 LF 30", 4,089 LF 48", 7,220 LF 18", 3,029 LF 36", 227 LF 54"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 802 LF 29" X 45", 901 LF 34" X 53", 2,200 LF 14" X 23"; Culvert Pipe Reinforced Concrete Horizontal Elliptical, 21 LF 14" X 23", 131 LF 19" X 30", 362 LF 29" X 45"; Concrete Curb, 796 LF; Concrete Curb and Gutter, 51,109 LF; Concrete Sidewalk, 148,362 SF; Beam Guard, 2,612 LF; Beam Guard Energy Absorbing Terminals, 11 Each; Asphaltic Surface, 275 Ton; HMA Pavement, 28,271 Ton; Tack Coat, 5,608 Gals; Signs, 5,267 SF; Rout and Seal, 22,109 LF; Concrete Truck Apron, 800 SY; Bar Steel Reinforcement HS Stainless, 40,020 Lbs; Noise Barrier Single-Sided, 92,870 SF; Concrete Barrier, 55,393 LF; Storm Sewer Pipe Reinforced Concrete 19" X 30" 105 LF, 24" X 38" 779 LF; Woven Wire Fence, 2,795 LF; Chain Link Fence, 27,391 LF; Trees, 806 Each; Shrubs, 1,854 Each; Sign Bridge, 14 Each; Overhead Sign Support, 7 Each; Light Poles, 261 Each; Traffic Signal Standards, 91 Each; Traffic Signal Standards, 91 Each; Temporary Traffic Signals, 5 LS; Ramp Closure Gates, 8 Each; Roadway Embankment, 974,435 CY; High Performance Concrete Masonry Structures, 7,835 CY; Perennials, 1,944 Each; Water Main, 792 LF; Interim Traffic Signals, 2 LS; Temporary Wall Wire Faced, 8,210 SF; Modular Block Wall, 1,670 SF; Concrete Panel Wall, 166,775 SF.

DBE Goal: 10 %

Contract Completion Date: December 23, 2023

***** MANDATORY PRE-BID MEETING *****

DATE: November 14, 2018 **TIME:** 1:00 – 2:30 PM

LOCATION: 111 Interstate Blvd.
Edgerton, WI 53534

NOTE: No meeting minutes will be prepared. Issues discovered at the meeting will be handled by addendum.

Contact Information: Emmanuel Yartey, (608) 884-7131 /
emmanuel.yartey@dot.wi.gov

2. Madison Street, City of Lancaster, Cherry Street to City Limits Street; Madison Street, City of Lancaster, Cherry Street to City Limits Street; Grant County; 1650-07-71, WISC 2019 003; 1650-07-81; USH 61; 0.804 Miles; Excavation, Base, Concrete Pavement, HMA Pavement, Asphaltic Surface, Curb and Gutter, Sidewalk, Signs, Pavement Marking, Sanitary Sewer and Water Main, Storm Sewer, Street Lighting, and Retaining Walls.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 30,557 CY; Base Aggregate Dense, 16,084 Ton; Select Crushed Material, 25,113 Ton; Concrete Pavement, 24,652 SY; Marking Epoxy, 17,117 LF; Construction Staking, 20,953 LF; Construction Staking, 153 Each; Construction Staking, 4 LS; Culvert Pipe Reinforced Concrete, 50 LF 15"; Storm Sewer Pipe Reinforced Concrete, 1,364 LF 12", 77 LF 21", 43 LF 36", 90 LF 15", 1,560 LF 24"; 1,053 LF 18", 212 LF 30"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 57 LF 19" X 30", 184 LF 24" X 38", 238 LF 29" X 45"; Concrete Curb and Gutter, 11,749 LF; Concrete Sidewalk, 63,764 SF; Asphaltic Surface, 405 Ton; HMA Pavement, 525 Ton; Tack Coat, 299 Gals; Signs, 1,143 SF.

DBE Goal: 12 %

Contract Completion Date: November 22, 2019

Contact Information: Craig Fisher, (608) 785-9946 / craig.fisher@dot.wi.gov

3. Rubicon - Hustisford, Rubicon River Bridge, B-14-0215; Dodge County; 3943-00-70; CTH EE; 0.066 Miles; Grading, Base Aggregate Dense, HMA Pavement, Guardrail, Removing Structure B-14-0020, and Structure B-14-0215.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 718 CY; Borrow, 610 CY; Backfill Structure, 580 Ton; Base Aggregate Dense, 1,695 Ton; Concrete Masonry Bridges, 193 CY; Prestressed Girders, 308 LF 36-Inch; Bar Steel Reinforcement, 5,460 Lbs; Bar Steel Reinforcement Coated, 24,380 Lbs; Piling Steel, 540 LF 10-Inch; Marking Epoxy, 1,355 LF; Construction Staking, 1,125 LF; Construction Staking, 2 LS; Beam Guard, 283 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 276 Ton; Tack Coat, 86 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Time: 40 Working Days

Contact Information: Zachary Pearson, (608) 246-5319 / zachary.pearson@dot.wi.gov

4. STH 21 - CTH B, Branch LaCrosse River Bridge, C-41-0139; Monroe County; 5005-00-71; CTH Q; 0.038 Miles; Excavation, Base, Asphaltic Surface, and Structure Construction.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 228 CY; Backfill Structure, 2,030 Ton; Base Aggregate Dense, 435 Ton; Breaker Run, 240 Ton; Concrete Masonry Culverts, 212 CY; Bar Steel Reinforcement, 32,560 Lbs; Bar Steel Reinforcement Coated, 2,950 Lbs; Marking Epoxy, 50 LF; Construction Staking, 600 LF; Construction Staking, 2 LS; Asphaltic Surface, 124 Ton; Tack Coat, 28 Gals; Temporary Stream Diversion, 1 LS.

DBE Goal: NA

Contract Completion Time: 45 Working Days

Contact Information: Mark Westerveld, (608) 246-5355 /
mark.westerveld@dot.wi.gov

5. CTH W - CTH A, Little Lemonweir River Bridge, B-41-0311; Monroe County; 5126-00-73; CTH N; 0.095 Miles; Excavation, Base, Asphaltic Surface, Beam Guard, and Structure Construction.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 1,546 CY; Borrow, 884 CY; Backfill Structure, 350 Ton; Base Aggregate Dense, 805 Ton; Breaker Run, 610 Ton; Concrete Masonry Bridges, 277 CY; Bar Steel Reinforcement, 6,280 Lbs; Bar Steel Reinforcement Coated, 39,700 Lbs; Piling Steel, 790 LF 10-Inch; Construction Staking, 1,290 LF; Construction Staking, 2 LS; Beam Guard, 157 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 335 Ton; Tack Coat, 105 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Time: 45 Working Days

Contact Information: Mark Westerveld, (608) 246-5355 /
mark.westerveld@dot.wi.gov

6. Town of Webster, South Elk Run Road, Elk Run Bridge, B-62-254; Vernon County; 5295-00-70; Local Street; 0.038 Miles; Excavation, Base, Asphaltic Surface, Signs, and Structure Replacement.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 150 CY; Borrow, 120 CY; Backfill Structure, 450 Ton; Base Aggregate Dense, 290 Ton; Concrete Masonry Bridges, 123 CY; Prestressed Girders, 236 LF 36-Inch; Bar Steel Reinforcement, 4,440 Lbs; Bar Steel Reinforcement Coated, 15,250 Lbs; Piling Steel, 210 LF 10-Inch; Construction Staking, 420 LF; Construction Staking, 2 LS; Asphaltic Surface, 65 Ton; Tack Coat, 20 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Time: 35 Working Days

Contact Information: Travis Buros, (608) 789-5702 / travis.buros@dot.wi.gov

7. Town of Richland, Covered Bridge Road, Horse Creek Bridge, B-52-0274; Richland County; 5365-00-72; Local Street; 0.063 Miles; Excavation, Base, Asphaltic Surface, Signs, and Structure Construction.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 280 CY; Backfill Structure, 480 Ton; Base Aggregate Dense, 485 Ton; Concrete Masonry Bridges, 146 CY; Bar Steel Reinforcement, 4,330 Lbs; Bar Steel Reinforcement Coated, 16,670 Lbs; Piling CIP Concrete, 700 LF 10 3/4-Inch; Construction Staking, 900 LF; Construction Staking, 2 LS; Asphaltic Surface, 150 Ton; Tack Coat, 37 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Time: 35 Working Days

Contact Information: Travis Buros, (608) 789-5702 / travis.buros@dot.wi.gov

8. **STH 82 - CTH P, Otter Creek Bridge, B-62-256;** Vernon County; 5467-00-70; CTH D; 0.620 Miles; Grading, Base, Asphalt Pavement, Bridge Replacement, Beam Guard, and Pavement Markings.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 589 CY; Backfill Structure, 300 Ton; Base Aggregate Dense, 1,258 Ton; Concrete Masonry Bridges, 206 CY; Bar Steel Reinforcement, 5,150 Lbs; Bar Steel Reinforcement Coated, 26,050 Lbs; Piling Steel, 250 LF 10-Inch; Marking Epoxy, 1,300 LF; Construction Staking, 924 LF; Construction Staking, 2 LS; Culvert Pipe, 16 LF 18"; Beam Guard, 158 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 201 Ton; Tack Coat, 45 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Time: 35 Working Days

Contact Information: Travis Buros, (608) 789-5702 / travis.buros@dot.wi.gov

9. **CTH WW - CTH W, Seymour Creek Bridge, B-62-0257;** Vernon County; 5539-00-70; CTH WW; 0.004 Miles; Excavation, Base, Asphaltic Surface, Signs, Pavement Marking, and Structure Construction.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 200 CY; Backfill Structure, 300 Ton; Base Aggregate Dense, 313 Ton; Concrete Masonry Bridges, 180 CY; Bar Steel Reinforcement, 4,400 Lbs; Bar Steel Reinforcement Coated, 25,920 Lbs; Piling Steel, 455 LF 10-Inch; Marking Epoxy, 800 LF; Construction Staking, 456 LF; Construction Staking, 2 LS; Culvert Pipe Corrugated Steel, 12 LF 15"; Asphaltic Surface, 95 Ton; Tack Coat, 22 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Time: 40 Working Days

Contact Information: Travis Buros, (608) 789-5702 / travis.buros@dot.wi.gov

10. Rewey - Cobb, Pecatonica River Bridge, B-25-0180; Iowa County; 5958-00-70; CTH G; 0.322 Miles; Excavation, Rock Excavation, Base, HMA Pavement, Pavement Marking, Signs, Beam Guard, and Structure Replacement.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 15,582 CY; Excavation Rock, 16,742 CY; Backfill Structure, 570 Ton; Base Aggregate Dense, 4,270 Ton; Breaker Run, 980 Ton; Concrete Masonry Bridges, 291 CY; Bar Steel Reinforcement, 10,110 Lbs; Bar Steel Reinforcement Coated, 26,730 Lbs; Piling Steel, 320 LF 10-Inch; Marking Epoxy, 6,800 LF; Construction Staking, 6,510 LF; Construction Staking, 2 LS; Culvert Pipe, 106 LF 24", 64 LF 36"; Beam Guard, 160 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 1,095 Ton; Tack Coat, 250 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Date: September 15, 2019

Contact Information: Mark Westerveld, (608) 246-5355 /
mark.westerveld@dot.wi.gov

11. City of Madison, East Johnson Street, North Baldwin Street to First Street; City of Madison, East Johnson Street, North Baldwin Street to First Street; City of Madison, East Johnson Street, North Baldwin Street to First Street; Dane County; 5992-09-14, WISC 2019 005; 5992-09-15; 5992-09-16; Local Street; 0.442 Miles; Excavation, Base, Concrete Pavement, HMA Pavement, Curb and Gutter, Sidewalk, Signs, Structure Replacement, Pavement Marking, Street Lighting, Traffic Signals, Water and Sanitary, and Storm Sewer.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 19,851 CY; Backfill Structure, 15 CY; Base Aggregate Dense, 21,712 Ton; Select Crushed Material, 10,183 Ton; Concrete Pavement, 4,585 SY; Concrete Masonry Bridges, 7 CY; Bar Steel Reinforcement Coated, 310 Lbs; Marking Epoxy, 8,090 LF; Construction Staking, 21,404 LF; Construction Staking, 126 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 542 LF 12", 6 LF 18", 1,555 LF 12", 12 LF 30", 203 LF 15"; Concrete Curb and Gutter, 5,256 LF; Concrete Sidewalk, 27,740 SF; HMA Pavement, 4,971 Ton; Tack Coat, 664 Gals; Signs, 439 SF; Conduit Rigid Nonmetallic Schedule 10 3-Inch, 10,620 LF.

DBE Goal: 12 %

Contract Completion Date: November 15, 2019

Contact Information: Mark Westerveld, (608) 246-5355 /
mark.westerveld@dot.wi.gov

12. Onalaska - Holmen, CTH OT to Hanson Road; LaCrosse County; 7067-00-70, WISC 2019 006; CTH SN; 0.559 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Sidewalk, Pavement Marking, Signs, Beam Guard, Street Lighting, and Structure Replacement.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 11,851 CY; Backfill Structure, 480 Ton; Base Aggregate Dense, 15,713 Ton; Concrete Masonry Bridges, 439 CY; Bar Steel Reinforcement, 9,780 Lbs; Bar Steel Reinforcement Coated, 50,410 Lbs; Piling CIP Concrete, 880 LF 12 3/4-Inch; Marking Epoxy, 12,048 LF; Construction Staking, 17,741 LF; Construction Staking, 46 Each; Construction Staking, 3 LS; Culvert Pipe Corrugated Steel, 40 LF 12", 12 LF 60"; Storm Sewer Pipe Reinforced Concrete, 401 LF 12", 232 LF 15", 133 LF 18"; Concrete Curb and Gutter, 7,768 LF; Concrete Sidewalk, 9,900 SF; Beam Guard, 2,571 LF; Asphaltic Surface, 401 Ton; HMA Pavement, 3,698 Ton; Tack Coat, 1,105 Gals; Signs, 323 SF.

DBE Goal: 12 %

Contract Completion Date: August 31, 2019

Contact Information: Aleigha Burg, (608) 317-9083 / aleigha.burg@dot.wi.gov

13. Town of LaGrange, Dolphin Road, Mill Creek Bridge, B-41-0312; Monroe County; 7102-00-70; Local Street; 0.052 Miles; Excavation, Base, Asphaltic Surface, Signs, and Structure Construction.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 569 CY; Backfill Structure, 270 Ton; Base Aggregate Dense, 464 Ton; Breaker Run, 585 Ton; Concrete Masonry Bridges, 130 CY; Bar Steel Reinforcement, 5,770 Lbs; Bar Steel Reinforcement Coated, 14,750 Lbs; Piling CIP Concrete, 245 LF 10 3/4-Inch; Construction Staking, 711 LF; Construction Staking, 2 LS; Asphaltic Surface, 104 Ton; Tack Coat, 27 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Time: 40 Working Days

Contact Information: Mark Westerveld, (608) 246-5355 / mark.westerveld@dot.wi.gov

14. Racine - Milwaukee Road, Five Mile Road to STH 31; Racine County; 2350-09-71, WISC 2019 007; STH 32; 1.844 Miles; Excavation, Base, HMA Pavement, Storm Sewer, Curb and Gutter, Sidewalk, Signs, Beam Guard, Pavement Marking, Street Lighting, Traffic Signals, Water and Sanitary Sewer, and Two Box Culverts.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 36,645 CY; Backfill Structure, 940 Ton; Base Aggregate Dense, 34,664 Ton; Breaker Run, 2,250 Ton; Concrete Masonry Culverts, 207 CY; Bar Steel Reinforcement, 28,120 Lbs; Bar Steel Reinforcement Coated, 3,330 Lbs; Marking Epoxy, 33,060 LF; Construction Staking, 35,057 LF; Construction Staking, 80 Each; Construction Staking, 5 LS; Storm Sewer Pipe Reinforced Concrete, 741 LF 15", 173 LF 24", 2,553 LF 24", 692 LF 12"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 62 LF 14" X 23", 58 LF 29" X 45"; Concrete Curb and Gutter, 9,784 LF; Concrete Sidewalk, 1,940 SF; Beam Guard, 237 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 19,523 Ton; Tack Coat, 8,125 Gals; Signs, 1,519 SF.

DBE Goal: 15 %

Contract Completion Time: 115 Working Days

Contact Information: Mark Wilfert, (262) 548-5936 / mark.wilfert@dot.wi.gov

15. South 60th Street, W. Morgan Avenue to KK River Pkwy.; Milwaukee County; 2415-00-71, WISC 2019 008; Local Street; 1.097 Miles; Excavation, Base, Concrete Pavement, HMA Pavement, Curb and Gutter, Sidewalk, Pavement Marking, Landscaping, Street Lighting, and Traffic Signals.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 30,678 CY; Backfill Granular, 410 Ton; Base Aggregate Dense, 22,135 Ton; Concrete Pavement, 39,779 SY; Marking Epoxy, 14,220 LF; Construction Staking, 25,794 LF; Construction Staking, 170 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 156 LF 60", 1,454 LF 12"; Concrete Curb and Gutter, 24,642 LF; Concrete Sidewalk, 64,420 SF; HMA Pavement, 132 Ton; Tack Coat, 96 Gals; Conduit Rigid Nonmetallic Schedule 40 3-Inch, 8,780 LF.

DBE Goal: 15 %

Contract Completion Date: October 15, 2020

Contact Information: Joan Bonack, (414) 750-2092 / joan.bonack@dot.wi.gov

16. Waldo Blvd., City of Manitowoc, Fleetwood Drive - 8th Street; Waldo Blvd., City of Manitowoc, Fleetwood Drive - 8th Street; Waldo Blvd., City of Manitowoc, CTH R - Fleetwood Drive; Waldo Blvd., City of Manitowoc, 8th Street - Maritime Drive; Waldo Blvd., City of Manitowoc, 8th Street – Maritime Drive; Manitowoc County; 1500-37-71, WISC 2018 470; 1500-37-72; 1500-47-71, WISC 2018 471; 4570-12-71, WISC 2018 472; 4570-12-72; USH 10; USH 10; USH 10; STH 42; STH 42; 2.972 Miles; Grading, Base, Concrete Pavement, Asphalt Pavement, Bridge Repair, Box Culvert Construction, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Concrete Truck Apron, Beam Guard, Fence, Signs, Pavement Markings, Street Lighting, Traffic Signals, Water Main, and Sanitary Sewer.

Guaranty Required: \$490,000.00

Estimate of Principal Items: Excavation Common, 86,000 CY; Backfill Structure, 4,840 Ton; Base Aggregate Dense, 44,990 Ton; Base Aggregate Open Graded, 110 CY; Breaker Run, 75,000 Ton; Concrete Pavement, 90,638 SY; Concrete Masonry Bridges, 780 CY; Concrete Masonry Culverts, 613 CY; Bar Steel Reinforcement, 75,760 Lbs; Bar Steel Reinforcement Coated, 173,090 Lbs; Marking Epoxy, 23,940 LF; Construction Staking, 89,555 Each; Construction Staking, 11 LS; Storm Sewer Pipe Reinforced Concrete, 5,595 LF 12", 5,048 LF 24", 164 LF 48", 2,004 LF 72", 1,550 LF 15", 1,020 LF 30", 568 LF 60", 946 LF 18", 1,803 LF 36", 1,455 LF 66"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 57 LF 72" X 113"; Concrete Curb, 490 LF; Concrete Curb and Gutter, 51,076 LF; Concrete Sidewalk, 149,330 SF; Beam Guard, 2,268 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 2,045 Ton; HMA Pavement, 3,210 Ton; Tack Coat, 1,210 Gals; Signs, 2,073 SF; Backfill Controlled Low Strength, 1,035 CY; Breaker Run, 530 CY; Concrete Base, 300 SY; Base Patching Concrete, 1,250 SY; Concrete Driveway, 3,530 SY; Concrete Truck Apron, 410 SY; Trees, 146 Each; Shrubs, 122 Each; Overhead Sign Supports, 2 LS; Light Poles, 77 Each; Traffic Signal Standards, 28 Each; Perennials, 228 Each; PVC Storm Sewer Pipe, 194 LF; Mini Storm Sewer, 6,045 LF; Water Main, 11,195 LF; Water Service, 5,116 LF; Chain Link Fence, 500 LF; Sanitary Sewer Pipe, 5,905 LF; Sanitary Lateral, 3,933 LF.

DBE Goal: 10 %

Contract Completion Date: August 29, 2020

***** NON-MANDATORY PRE-BID MEETING *****

DATE: November 26, 2018

TIME: 10:30 AM

LOCATION: WisDOT NE Region Office
944 Vanderperren Way
Green Bay, WI 54304-5344

NOTE: No meeting minutes will be prepared. Issues discovered at the meeting will be handled by addendum.

Contact Information: Brian Haen, (920) 366-4788 / brian.haen@dot.wi.gov

17. USH 10 - USH 10 / STH 441, County CB - Oneida Street; Winnebago County; 1517-07-71; USH 10; 1.002 Miles; Grading, Base, Milling, Pulverize and Relay, Asphalt Pavement, Curb and Gutter, and Pavement Markings.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 600 CY; Base Aggregate Dense, 610 Ton; Breaker Run, 1,080 Ton; Marking Epoxy, 10,684 LF; Construction Staking, 1 LS; Concrete Curb and Gutter, 150 LF; Asphaltic Surface, 88 Ton; HMA Pavement, 3,668 Ton; Removing Asphaltic Surface Milling, 1,035 SY; Tack Coat, 930 Gals; Pulverize and Relay, 15,065 SY.

DBE Goal: NA

Contract Completion Time: 30 Calendar Days

Contact Information: Mike Cohen, (920) 492-4136 / michael.cohen@dot.wi.gov

18. Plymouth - Kiel, Otter Creek and Sheboygan River Bridges; Sheboygan County; 4015-21-71, WISC 2019 009; STH 57; 0.000 Miles; Bridge Painting and Polymer Overlay.

Guaranty Required: \$6,000.00

Estimate of Principal Items: Marking Epoxy, 98 LF; Polymer Overlay, 199 SY; Structure Repainting Recycled Abrasive, 2 LS; Negative Pressure Containment and Collection of Waste Materials, 2 LS; Portable Decontamination Facility, 2 Each.

DBE Goal: 5 %

Contract Completion Time: 20 Working Days

Contact Information: Eric Gwidt, (920) 366-8896 / eric.gwidt@dot.wi.gov

19. Gibraltar - Sister Bay, Bluff Lane - Country Walk Drive; Door County; 4140-19-71; STH 42; 7.761 Miles; Grading, Base, Milling, Asphalt Pavement, Culvert Pipe, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Beam Guard, Retaining Walls, Fence, Pavement Markings, Signs, and Street Lighting.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 7,135 CY; Excavation Rock, 192 CY; Borrow, 81 CY; Base Aggregate Dense, 17,662 Ton; Select Crushed Material, 24 Ton; Marking Epoxy, 147,000 LF; Construction Staking, 77,613 LF; Construction Staking, 138 Each; Construction Staking, 2 LS; Culvert Pipe, 64 LF 15"; Culvert Pipe Corrugated Steel, 4 LF 30"; Storm Sewer Pipe Reinforced Concrete, 364 LF 15", 37 LF 24", 390 LF 12", 420 LF 30", 141 LF 18"; Storm Sewer Pipe Reinforced Concrete Horizontal Elliptical, 854 LF 19" X 30", 352 LF 24" X 38", 678 LF 29" X 45"; Concrete Curb, 495 LF; Concrete Curb and Gutter, 6,732 LF; Concrete Sidewalk, 32,925 SF; Beam Guard, 1,841 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 536 Ton; HMA Pavement, 33,810 Ton; Removing Asphaltic Surface Milling, 159,410 SY; Tack Coat, 18,350 Gals; Signs, 1,737 SF; Concrete Driveway, 450 SY; Pipe Arch Corrugated Steel 17 X 13-Inch, 30 LF; Storm Sewer Rock Excavation, 358 CY; Storm Sewer Pipe 12" 263 LF, 15" 621 LF, 18" 87 LF, 24" 1,453 LF; Storm Sewer Pipe Composite 8", 14 LF; Chain Link Fence, 787 LF; Modular Block Wall, 2,644 SF.

DBE Goal: NA

Contract Completion Date: September 27, 2019

Contact Information: Jeremy Ashauer, (920) 412-6381 / jeremy.ashauer@dot.wi.gov

20. Navarino Street - N. Water Street, Ahnapee River Bridge and Approaches; Kewaunee County; 4409-12-71; CTH S; 0.077 Miles; Bridge Replacement, Grading, Base Aggregate Dense, HMA Pavement, Concrete Approach Slabs, Storm Sewer, Concrete Curb and Gutter, Concrete Sidewalk, Pavement Markings, and Landscaping.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 770 CY; Backfill Structure, 1,690 Ton; Base Aggregate Dense, 1,115 Ton; Concrete Pavement, 100 SY; Concrete Masonry Bridges, 1,025 CY; Concrete Masonry Retaining Walls, 53 CY; Bar Steel Reinforcement, 55,660 Lbs; Bar Steel Reinforcement Coated, 98,660 Lbs; Piling Steel, 170 LF 10-Inch; Marking Epoxy, 1,620 LF; Construction Staking, 1,434 LF; Construction Staking, 11 Each; Construction Staking, 3 LS; Storm Sewer Pipe Reinforced Concrete, 106 LF 12", 175 LF 30", 121 LF 18", 16 LF 24"; Concrete Curb and Gutter, 587 LF; Concrete Sidewalk, 2,990 SF; Asphaltic Surface, 20 Ton; HMA Pavement, 365 Ton; Removing Pavement, 1,210 SY; Cofferdams, 1 LS; Crack and Damage Survey, 1 LS; Adjusting Water Service Curb Stops, 5 Each.

DBE Goal: NA

Contract Completion Date: November 8, 2019

Contact Information: Dave Schmidt, (920) 492-5715 / dave.schmidt@dot.wi.gov

21. Endeavor - Princeton, I-39 SB Ramps - NB Ramps; Mauston - I-39, Adams County Line - I-39; Endeavor - Princeton, I-39 - 8th Court; Marquette County; 1160-00-80, WISC 2019 010; 1430-00-80, WISC 2019 011; 1430-00-82, WISC 2019 012; STH 23; STH 82; STH 23; 5.968 Miles; Grading, Base, Milling, Cold-In-Place Recycling Pavement, Asphalt Pavement, Culvert Pipe, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,340 CY; Backfill Granular, 200 CY; Base Aggregate Dense, 4,500 Ton; Marking Epoxy, 120,690 LF; Construction Staking, 29,802 LF; Construction Staking, 4 Each; Construction Staking, 3 LS; Culvert Pipe, 158 LF 30"; Culvert Pipe Corrugated Steel, 10 LF 30"; Asphaltic Surface, 1,101 Ton; HMA Pavement, 12,930 Ton; Removing Asphaltic Surface Milling, 11,970 Ton; Tack Coat, 9,140 Gals; Base Repair for Cold-In-Place Recycling, 1,100 CY; Cold-In-Place Recycling Pavement Partial Depth, 81,500 SY; Asphalt Stabilizing Agent, 538 Ton.

DBE Goal: 6 %

Contract Completion Date: August 30, 2019

Contact Information: Tim Hanley, (715) 421-8050 / timothy.hanley@dot.wi.gov

22. City of Marshfield, Central Avenue, Arnold Street - Harrison Street; Wood County; 6380-06-75, WISC 2018 254; STH 97; 0.498 Miles; Grading, Base, Milling, Asphalt Pavement, Base Patching, Concrete Driveway, Concrete Base, Storm Sewer, Curb and Gutter, Sidewalk, Traffic Signals, Street Lighting, Pavement Markings, and Signs.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 614 CY; Base Aggregate Dense, 3,559 Ton; Marking Epoxy, 15,050 LF; Construction Staking, 6,109 LF; Construction Staking, 5 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 37 LF 12"; Concrete Curb, 40 LF; Concrete Curb and Gutter, 3,528 LF; Concrete Sidewalk, 3,998 SF; HMA Pavement, 4,732 Ton; Removing Asphaltic Surface Milling, 21,236 SY; Signs, 208 SF; Concrete Base, 327 SY; Base Patching Asphaltic, 798 Ton; Concrete Driveway, 220 SY; Storm Sewer Pipe Composite 8-Inch 12 LF, 10-Inch 35 LF; Traffic Signal Standards, 10 Each; Poles, 13 Each; Temporary Traffic Signals, 2 LS.

DBE Goal: 12 %

Contract Completion Date: August 29, 2019

Contact Information: Mark Steidl, (715) 421-8043 / mark.steidl@dot.wi.gov

23. City of Wisconsin Rapids, Second Avenue S., Gaynor Avenue to STH 13; Wood County; 6999-03-70; STH 54; 0.177 Miles; Asphaltic Surface Milling, Removing Pavement, Excavation Common, Base Aggregate Dense, HMA Pavement, Concrete Driveways, Concrete Sidewalk, Concrete Curb and Gutter, Storm Sewer, Signing, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 1,333 CY; Base Aggregate Dense, 1,275 Ton; Marking Tape, 2,205 LF; Marking Epoxy, 8,045 LF; Marking Paint, 2,160 LF; Construction Staking, 5,243 LF; Construction Staking, 3 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 53 LF 12"; Concrete Curb and Gutter, 1,167 LF; Concrete Sidewalk, 3,425 SF; Asphaltic Surface, 70 Ton; HMA Pavement, 1,020 Ton; Tack Coat, 350 Gals; Signs, 163 SF; Overhead Sign Support S-71-0033, 1 LS; Adjusting Water Valve Boxes, 6 Each; Adjusting Sanitary Manholes, 3 Each; Reconstructing Sanitary Manhole, 1 Each; Remove and Reinstall Street Light Assembly, 5 Each.

DBE Goal: NA

Contract Completion Time: 35 Working Days

Contact Information: Wendy Arneson, (715) 421-7391 / wendy.arneson@dot.wi.gov

24. City of Wisconsin Rapids, E. Grand Avenue, 3rd Street to 8th Street; Wood County; 6999-07-89, WISC 2019 013; Local Street; 0.438 Miles; Pavement Removal, Grading, Base Aggregate Dense, HMA Pavement, Concrete Pavement, Concrete Sidewalk, Storm Sewer, Curb and Gutter, Pavement Marking, and Erosion Control.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 9,371 CY; Base Aggregate Dense, 8,390 Ton; Select Crushed Material, 1,102 Ton; Breaker Run, 460 Ton; Concrete Pavement, 11,400 SY; Marking Epoxy, 10,743 LF; Construction Staking, 8,076 LF; Construction Staking, 95 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 1,004 LF 12", 789 LF 21", 98 LF 15", 1,533 LF 18"; Concrete Curb, 11 LF; Concrete Curb and Gutter, 5,802 LF; Concrete Sidewalk, 36,250 SF; Asphaltic Surface, 68 Ton; HMA Pavement, 289 Ton; Tack Coat, 75 Gals; Signs, 351 SF; Conduit, 4,551 LF; Removing Pavement, 14,950 SY; Light Unit Wisconsin Rapids, 31 Each; Lighting Control Cabinet Modifications, 1 Each; Sign Pole Wisconsin Rapids, 8 Each; Protection of Private Sprinkler Systems, 4 Each; Remove and Transport Traffic Signals, 1 LS; Remove and Transport Stub Poles, 1 LS; Temporary Lighting, 1 LS; Loading, Hauling, and Landfill Treatment or Disposal of Petroleum Contaminated Soil, 53 Ton; Loading, Hauling, and Landfill Treatment or Disposal of Chlorinated Solvent Contaminated Soil, 150 Ton.

DBE Goal: 13 %

Contract Completion Date: October 31, 2019

Contact Information: Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

25. Bogus Road - Tappa Road, E. Branch Eau Claire River, B-34-0054; Langlade County; 9360-00-70; CTH B; 0.114 Miles; Grading, Common Excavation, Removing P-34-0004, Constructing B-34-0054, Base Aggregate Dense, HMA Pavement, Concrete Pavement Approach Slabs, Permanent Signing, and Pavement Marking.

Guaranty Required: \$20,000.00

Estimate of Principal Items: Excavation Common, 173 CY; Borrow, 756 CY; Backfill Structure, 270 Ton; Base Aggregate Dense, 1,096 Ton; Concrete Pavement, 127 SY; Concrete Masonry Bridges, 179 CY; Bar Steel Reinforcement, 4,160 Lbs; Bar Steel Reinforcement Coated, 25,030 Lbs; Piling CIP Concrete, 1,100 LF 12 3/4-Inch; Marking Epoxy, 1,200 LF; Construction Staking, 1,599 LF; Construction Staking, 2 LS; Beam Guard, 581 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Asphaltic Surface, 280 Ton; Tack Coat, 89 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Time: 40 Working Days

Contact Information: Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

26. Village of Brokaw, Wisconsin River Bridge, B-37-0111; Marathon County; 9474-01-70, WISC 2019 014; CTH WW; 0.167 Miles; Rehabilitation of Structure B-37-0111, Concrete Masonry Bridges, Polymer Overlay, Concrete Pavement Approach Slabs, Excavation Common, Base Aggregate Dense, Concrete Pavement, Asphaltic Surface, Guardrail, Signing, and Pavement Marking.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 373 CY; Backfill Structure, 260 Ton; Base Aggregate Dense, 560 Ton; Concrete Pavement, 456 SY; Concrete Masonry Bridges, 786 CY; Bar Steel Reinforcement Coated, 171,710 Lbs; Marking Tape, 8,890 LF; Marking Epoxy, 10,560 LF; Construction Staking, 2,222 LF; Construction Staking, 2 LS; Beam Guard, 1,047 LF; Asphaltic Surface, 265 Ton; Removing Asphaltic Surface Milling, 460 SY; Tack Coat, 80 Gals; Signs, 91 SF; Remove Concrete Surface Partial Depth, 1,280 SF; Concrete Surface Drains, 7 CY; Pigmented Surface Sealer, 604 SY; Welded Stud Shear Connectors 7/8 X 8-Inch, 4,656 Each; Polymer Overlay, 2,123 SY; Structure Overcoating Cleaning and Priming, 1 LS; Concrete Barrier Temporary Precast Delivered, 2,060 LF; Temporary Traffic Signals for Bridges, 1 LS.

DBE Goal: 12 %

Contract Completion Date: May 22, 2020

Contact Information: Michael Grage, (715) 365-5705 / michael.grage@dot.wi.gov

27. Hudson - Menomonie, STH 128 to 250th Street (EB and WB); St. Croix and Dunn Counties; 1022-07-76, WISC 2019 015; IH 94; 16.263 Miles; Excavation, Base, Concrete Pavement, HMA Pavement, Curb and Gutter, Sidewalk, Beam Guard, Pavement Marking, Signs, Six Structure Replacements, and Two Sign Bridges.

Guaranty Required: \$1,000,000.00

Estimate of Principal Items: Excavation Common, 573,693 CY; Excavation Rock, 3,345 CY; Borrow, 199,890 CY; Selected Borrow, 132,650 CY; Backfill Structure, 2,742 Ton; Base Aggregate Dense, 535,963 Ton; Select Crushed Material, 9,000 Ton; Concrete Pavement, 261,541 SY; Concrete Masonry Bridges, 5,511 CY; Prestressed Girders, 1,470 LF 36-Inch, 2,784 LF 45-Inch; Bar Steel Reinforcement, 73,545 Lbs; Bar Steel Reinforcement Coated, 843,215 Lbs; Piling Steel, 13,150 LF 10-Inch; Marking Epoxy, 3,404 LF; Construction Staking, 587,181 LF; Construction Staking, 7 LS; Culvert Pipe Reinforced Concrete, 34 LF 15", 461 LF 30", 262 LF 18", 50 LF 36", 1,106 LF 24"; Concrete Curb and Gutter, 827 LF; Concrete Sidewalk, 214 SF; Beam Guard, 34,825 LF; Beam Guard Energy Absorbing Terminals, 37 Each; Asphaltic Surface, 300 Ton; HMA Pavement, 39,806 Ton; Tack Coat, 23,025 Gals; Signs, 2,570 SF; Marking Line Grooved Wet Ref Epoxy 4-Inch, 26,488 LF.

DBE Goal: 5 %

Contract Completion Date: November 13, 2020

Contact Information: Stacie Lambele, (715) 577-2967 / stacie.lambele@dot.wi.gov

28. Galesville - Whitehall, Branch North Fork Beaver Creek, B-61-0238; Trempealeau County; 1633-06-74, WISC 2019 016; USH 53; 0.064 Miles; Excavation, Base, HMA Pavement, Curb and Gutter, Signs, Pavement Marking, Beam Guard, and Structure Replacement.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 900 CY; Backfill Structure, 256 Ton; Base Aggregate Dense, 1,421 Ton; Select Crushed Material, 70 Ton; Concrete Masonry Bridges, 324 CY; Prestressed Girders, 324 LF 36-Inch; Bar Steel Reinforcement, 5,420 Lbs; Bar Steel Reinforcement Coated, 44,000 Lbs; Piling CIP Concrete, 1,020 LF 12 3/4-Inch; Marking Epoxy, 2,780 LF; Construction Staking, 750 LF; Construction Staking, 2 LS; Culvert Pipe, 28 LF 12", 28 LF 18"; Concrete Curb and Gutter, 80 LF; Beam Guard, 408 LF; Beam Guard Energy Absorbing Terminals, 4 Each; HMA Pavement, 340 Ton; Tack Coat, 70 Gals; Signs, 25 SF.

DBE Goal: 5 %

Contract Completion Time: 70 Working Days

Contact Information: Nicole Passuello, (715) 833-5572 / nicole.passuello@dot.wi.gov

29. NW Region, Various Signalized Intersections, Various Highways and Locations / Signal Head Per Lane; City of Eau Claire, Clairemont Avenue, Keith Street to Bus. 53 / Hastings Way; NW Region-Wide; Eau Claire County; 3700-50-29; 3700-50-38; Various Highways; USH 12; 0.000 Miles; Monotube Traffic Signal Poles, Installation of ITS Devices and Communication Connections, MGS Guardrail, Permanent Signing, and Traffic Control.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Bar Steel Reinforcement, 270 Lbs; Structural Steel HS, 2,028 Lbs; Marking Tape, 1,645 LF; Marking Epoxy, 715 LF; Construction Staking, 5 LS; Beam Guard, 974 LF; Beam Guard Energy Absorbing Terminals, 4 Each; Signs, 158 SF; Conduit, 1,059 LF; Sign Supports Concrete Masonry, 5 CY; Concrete Bases Type 13, 14 Each; Concrete Bases Camera Pole 50-Ft, 1 Each; Poles Type 12, 12 Each, Type 13, 2 Each; Monotube Arms, 14 Each; Install State Furnished EVP Detector Heads, 6 LS; Remove Traffic Signals, 6 LS.

DBE Goal: NA

Contract Completion Date: June 28, 2019

Contact Information: David Koepp, (715) 563-8402 / david.koepp@dot.wi.gov

30. Trempealeau - Fountain City, Mississippi River Tributary / Two Bridges; Trempealeau - Fountain City, Mississippi River Tributary, B-06-0202; Buffalo County; 7160-04-70, WISC 2019 017; 7160-04-74, WISC 2019 018; STH 35; 0.000 Miles; Excavation, Base, HMA Pavement, Beam Guard, Pavement Marking, and Three Bridge Replacements.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 6,461 CY; Excavation Marsh, 1,475 CY; Borrow, 1,072 CY; Backfill Granular, 2,010 CY; Backfill Structure, 1,020 Ton; Base Aggregate Dense, 6,763 Ton; Select Crushed Material, 2,950 Ton; Concrete Pavement, 202 SY; Concrete Masonry Bridges, 1,130 CY; Bar Steel Reinforcement, 22,450 Lbs; Bar Steel Reinforcement Coated, 143,930 Lbs; Piling CIP Concrete, 3,895 LF 12 3/4-Inch; Marking Epoxy, 4,715 LF; Construction Staking, 3,036 LF; Construction Staking, 8 Each; Construction Staking, 5 LS; Culvert Pipe Corrugated Steel, 3 LF 18"; Beam Guard, 1,638 LF; Beam Guard Energy Absorbing Terminals, 1 Each; HMA Pavement, 1,301 Ton; Tack Coat, 490 Gals.

DBE Goal: 5 %

Contract Completion Date: September 13, 2019

Contact Information: Nicole Passuello, (715) 833-5572 / nicole.passuello@dot.wi.gov

31. Black River Falls - City Point, Oasis Road to CTH K; Black River Falls - City Point, CTH K to East County Line; Jackson County; 7510-02-60; 7510-02-62; STH 54; 25.875 Miles; Excavation, Base, HMA Pavement, Beam Guard, Pavement Marking, and Permanent Signing.

Guaranty Required: \$100,000.00

Estimate of Principal Items: Excavation Common, 89 CY; Borrow, 216 CY; Base Aggregate Dense, 4,520 Ton; Marking Epoxy, 367,530 LF; Construction Staking, 140,295 LF; Construction Staking, 1 Each; Construction Staking, 2 LS; Culvert Pipe, 32 LF 18"; Culvert Pipe Corrugated Steel, 8 LF 18", 20 LF 36"; Culvert Pipe Reinforced Concrete, 280 LF 24", 80 LF 48", 80 LF 30", 112 LF 60", 32 LF 42"; Beam Guard, 5,881 LF; Beam Guard Energy Absorbing Terminals, 28 Each; Asphaltic Surface, 7,750 Ton; HMA Pavement, 83,110 Ton; Tack Coat, 50,150 Gals; Signs, 1,492 SF.

DBE Goal: NA

Contract Completion Date: August 30, 2019

***** NOTE *****

This contract requires pre-bid contact with the Native American tribe whose land the project resides on. Additional documentation must be included when the Proposal Request (Form DT1633) is submitted. For further information on this requirement, please see the special provisions and/or contact David Koepp.

Contact Information: David Koepp, (715) 563-8402 / david.koepp@dot.wi.gov

32. City of Hayward, South Dakota Avenue, Michigan Avenue - USH 63; City of Hayward, South Dakota Avenue, Namekagon River - Railroad Street; City of Hayward, South Dakota Avenue, Railroad Street Intersection; City of Hayward, South Dakota Avenue, West Carol Drive - Michigan Avenue; City of Hayward, South Dakota Avenue, Namekagon River Bridge, B-57-0058; Sawyer County; 8140-00-70, WISC 2019 019; 8140-00-73, WISC 2019 020; 8140-00-74, WISC 2019 021; 8140-00-75, WISC 2019 022; 8140-25-71, WISC 2019 023; STH 27; 1.426 Miles; Grading, Base, Asphalt Pavement, Bridge Rehabilitation, Storm Sewer, Curb and Gutter, Sidewalk, Concrete Driveway, Street Lighting, Traffic Signals, Water Main, Sanitary Sewer, Signs, Overhead Sign Support, and Pavement Markings.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 5,806 CY; Base Aggregate Dense, 6,672 Ton; Concrete Pavement, 80 SY; Concrete Masonry Overlay, 34 CY; Marking Epoxy, 20,376 LF; Construction Staking, 25,261 LF; Construction Staking, 101 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 329 LF 15", 474 LF 12", 437 LF 18", 346 LF 24"; Concrete Curb and Gutter, 6,720 LF; Concrete Sidewalk, 13,370 SF; Asphaltic Surface, 1,080 Ton; HMA Pavement, 8,767 Ton; Tack Coat, 4,351 Gals; Signs, 608 SF; Concrete Driveway, 289 SY; Preparation Decks, 115 SY; Cleaning Decks, 815 SY; Concrete Surface Repair, 100 SF; Polymer Overlay, 285 SY; Storm Sewer Pipe 18" 190 LF, 24" 532 LF; Light Poles, 13 Each; Traffic Signal Standards, 9 Each; Temporary Traffic Signals, 1 LS; Water Main, 3,122 LF; Water Main Directionally Drilled, 1,021 LF; Water Service, 689 LF; Sanitary Sewer PVC, 1,577 LF; Sanitary Lateral, 295 LF; Overhead Sign Support, 1 LS.

DBE Goal: 5 %

Contract Completion Date: November 1, 2019

Contact Information: Matt Dickenson, (715) 395-3022 /
matthew.dickenson@dot.wi.gov

33. STH 73 - Perkinstown, Yellow River Bridge, B-60-0146; Taylor County; 8896-05-74; CTH M; 0.037 Miles; Excavation, Base, Asphaltic Surface, Signs, Pavement Marking, Beam Guard, and Structure Replacement.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 215 CY; Borrow, 84 CY; Backfill Structure, 740 Ton; Base Aggregate Dense, 510 Ton; Concrete Masonry Bridges, 337 CY; Bar Steel Reinforcement, 7,620 Lbs; Bar Steel Reinforcement Coated, 54,710 Lbs; Piling CIP Concrete, 1,605 LF 10 3/4-Inch; Marking Epoxy, 675 LF; Construction Staking, 930 LF; Construction Staking, 2 LS; Beam Guard, 433 LF; Beam Guard Energy Absorbing Terminals, 2 Each; Asphaltic Surface, 105 Ton; Tack Coat, 32 Gals; Signs, 12 SF.

DBE Goal: NA

Contract Completion Time: 40 Working Days

Contact Information: Matthew Van Natta, (715) 392-7934 /
matthew.vannatta@dot.wi.gov

34. Baldwin - Menomonie, Dry Run Bridge, B-55-0287; St. Croix County; 8949-04-78, WISC 2019 024; USH 12; 0.351 Miles; Excavation, Base, Asphaltic Surface, Pavement Marking, Beam Guard, Signs, and Structure Replacement.

Guaranty Required: \$40,000.00

Estimate of Principal Items: Excavation Common, 740 CY; Borrow, 4,000 CY; Backfill Structure, 420 Ton; Base Aggregate Dense, 1,380 Ton; Breaker Run, 90 Ton; Concrete Masonry Culverts, 154 CY; Bar Steel Reinforcement, 8,275 Lbs; Bar Steel Reinforcement Coated, 7,650 Lbs; Marking Epoxy, 5,085 LF; Construction Staking, 3,765 LF; Construction Staking, 12 Each; Construction Staking, 2 LS; Culvert Pipe Reinforced Concrete, 116 LF 36", 147 LF 42"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 56 LF 19" X 30", 58 LF 38" X 60", 116 LF 29" X 45", 56 LF 48" X 76", 112 LF 34" X 53"; Beam Guard, 1,150 LF; Beam Guard Energy Absorbing Terminals, 12 Each; Asphaltic Surface, 2,280 Ton; Tack Coat, 300 Gals; Signs, 21 SF.

DBE Goal: 5 %

Contract Completion Time: 70 Calendar Days

Contact Information: Matthew Pfeifer, (715) 579-0789 / matthew.pfeifer@dot.wi.gov

35. City of Madison, Fair Oaks Avenue to Thompson Drive; Dane County; 5490-00-60, WISC 2018 304; STH 30; 0.000 Miles; Excavation, Base, Asphaltic Surface, and Steel Thrie Beam Double-Faced Beam Guard.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 1,840 CY; Borrow, 4,820 CY; Base Aggregate Dense, 2,110 Ton; Storm Sewer Pipe Reinforced Concrete, 24 LF 12", 88 LF 18", 8 LF 15", 16 LF 24"; Beam Guard, 350 LF; Asphaltic Surface, 40 Ton; Steel Thrie Beam Double-Faced, 7,197 LF.

DBE Goal: 12 %

Contract Completion Time: 90 Calendar Days

Contact Information: Jim Simpson, (608) 246-5628 / jim.simpson@dot.wi.gov

36. 104th Street, Village of Pleasant Prairie, Pleasant Prairie Welcome Center; Kenosha County; 3738-08-70; STH 165; 0.000 Miles; Excavation, Base, Concrete Pavement, Asphaltic Surface, Curb and Gutter, Sidewalk, Signs, Pavement Marking, and Lighting.

Guaranty Required: \$75,000.00

Estimate of Principal Items: Excavation Common, 4,466 CY; Excavation Marsh, 2,902 CY; Selected Borrow, 4,063 CY; Base Aggregate Dense, 2,942 Ton; Concrete Pavement, 4,965 SY; Marking Epoxy, 2,712 LF; Construction Staking, 8,351 LF; Construction Staking, 14 Each; Construction Staking, 2 LS; Storm Sewer Pipe Reinforced Concrete, 13 LF 12", 24 LF 15", 68 LF 18"; Storm Sewer / Culvert Pipe Reinforced Concrete Horizontal Elliptical, 144 LF 29" X 45", 2 LF 14" X 23", 156 LF 38" X 60", 50 LF 14" X 23"; Concrete Curb and Gutter, 4,905 LF; Concrete Sidewalk, 1,402 SF; Asphaltic Surface, 38 Ton; Tack Coat, 32 Gals; Signs, 815 SF; Conduit Rigid Nonmetallic Schedule 40 2-Inch, 1,672 LF; Luminaire Arms Truss Type 4 1/2-Inch Clamp 15 Ft, 6 Each.

DBE Goal: NA

Contract Completion Date: August 23, 2019

Contact Information: Chris Hager, (414) 750-1487 / christopher.hager@dot.wi.gov

By order of:

Joe Nestler
Administrator
Division of Transportation System Development