

DPSMV – 1013 (ONE YEAR)
DPSMV – 1015 (TWO YEAR)

SPECIFICATIONS FOR LOUISIANA MOTOR VEHICLE INSPECTION STICKERS

SCOPE: These specifications cover the requirements for pressure sensitive vehicle stickers which will be applied to the inside of vehicle windshields. These stickers shall withstand a post-delivery storage shelf life of twenty-four (24) months; and, once applied, the sticker must remain firmly affixed for a minimum period of twenty four (24) months without fading, shrinking, curling or separating. Each individual sticker shall incorporate a security feature as specified below, which will preclude any possibility of reuse.

It is requested that bid be accompanied by samples of similar stickers bidder has successfully produced.

COMPOSITE MATERIAL: A polyethylene film (minimum .001") which is coated, or which is bonded, fused or laminated to a moisture-resistant backing material. The total composite material to be a minimum thickness of .004" (This does not include adhesive, ink or peel-away liner.)

ADHESIVE: Pressure sensitive with sufficient adhesion build-up or coating weight to ensure adhesion for at least twenty four (24) months from the date of application. The adhesive must be heat resistant to 300 degrees Fahrenheit. The pressure sensitive adhesive must not require water, solvent or any other wetting agent for activation. The adhesive must be removable from glass windshields and secureflex plastic coated (or equal) windshields after twenty four (24) months of service without damage to windshields or windshield coating. If any adhesive remains, it can be cleaned with a common glass cleaner. Cleaning and preparation of the surface with any alcohol or ammonia based substance on which the adhesive is to be applied shall not affect the bonding of the adhesive to window glass.

LINER: Over this adhesive must be placed an easily removed slip sheet which will protect the certificate until it is intentionally and manually removed. Liner shall be split down the center to facilitate removal.

BINDING: Stickers shall be bound in books with stiff chipboard backing and lightweight cover with twenty-five (25) stickers to each book and securely stapled with at least two (2) 3/8" staples. Books must be bound on left side and shall be perforated in such a manner as to be torn from book without difficulty or damage to sticker. The form number, form name, beginning sticker number and ending sticker number of each book shall be printed on the cover of each book; along with the application instructions. (See illustration)

WRITING SURFACE: Reverse side of sticker must permit easy writing with permanent ink and must have characteristics that will prevent smudging, smearing or easy erasure of the ink.

REMOVAL FROM WINDSHIELD: The sticker must be removable by peeling and removing any remaining adhesive with any common glass cleaner.

NUMBERING: The stickers shall show consecutive serial numbering which must be clearly visible from the outside. The size of the sticker number shown on the sticker is to be approximately 1/4" high.

Font on numbering must be the same size. No duplicate or missing numbers acceptable. Numbers cannot be handwritten.

Erasures, strike-overs, misprints will not be accepted.

SECURITY FEATURE: The stickers shall have a built in security feature. Any attempt to remove the sticker will result in mutilation, self-destruction or will cause the word "VOID" to appear in several places, thereby making the sticker impossible to reuse.

SIZE: 3 ½” x 4” including the ½ inch binding stub on the left side. After detaching from book, sticker is 3” x 4”.

COLOR: All stickers manufactured under these specifications shall be made using sunfast inks, guaranteed not to fade and to remain clearly legible for a period of twenty four (24) months after the sticker has been applied to the vehicle windshield. All letters and numbers shall be in black except the word “Louisiana” and the “Louisiana” boot, which shall be PMS Blue 287-C. Within the boot, the word “Louisiana” and the State seal shall be reversed out of the blue and shall appear the same color as the background. Composition includes three (3) blocks; the inserts designating the year, month and emission test will be placed on these blocks. See attached illustration.

The backside of the sticker is to be gray (PMS Cool Gray 6-C) with printing in black ink. See attached illustration.

Vendor shall be responsible for all artwork.

FORM NUMBER AND FORMAT:

Form number DPSMV 1013 – ONE YEAR INSPECTION (see included illustration)

- Form number shall be printed on lower right corner of front of sticker in small type.
- The words “ONE” “YEAR” will be displayed on the face of each sticker.
- The sequential sticker number will be displayed in a vertical format on the face of each sticker.

Form number DPSMV 1015 – TWO YEAR INSPECTION (see included illustration)

- Form number shall be printed on lower right corner of front of sticker in small type.
- The words “TWO” “YEAR” will be displayed on the face of each sticker.
- The sequential sticker number will be displayed in a vertical format on the face of each sticker.

PACKAGING: Each consecutive five (5) books shall be bound with a rubber band and packaged in a durable carton with two hundred (200) books per carton. Cartons shall be of sufficient depth to be flush with the top of the stickers contained therein when the stickers are standing in an upright position. Books shall not be stacked in layers inside the carton. The cartons will bear the beginning and ending number of the stickers contained in that carton. Stickers shall be packaged for shipment with five thousand (5,000) stickers per case. All cartons must be securely sealed with safety tape. Packaging requirements are mandatory and shall not be deviated from in any manner.

TESTING: Successful bidder will be required to submit five (5) samples of pre-production product for testing evaluation. The samples will not require numbering and will be destroyed.

LIQUIDATED DAMAGES CLAUSE: The State reserves the right to receive compensatory damages for losses realized from failure of the supplied product to perform within the stated specifications. The State reserves the right to seek either compensation in the form of replacement product or monetary reimbursement for the failed product at the original cost to the State.

**ONE YEAR MOTOR VEHICLE
INSPECTION STICKER**

BEFORE APPLYING!

1. FILL OUT BACK OF STICKER USING PERMANENT INK.
2. APPLY MONTH STICKER IN LEFT BLOCK.
3. APPLY YEAR STICKER IN RIGHT BLOCK.

APPLY TO CLEAN DRY WINDSHIELD!

1. REMOVE DECAL FROM BACKING PAPER. DO NOT MOISTEN.
2. APPLY SMOOTHLY FROM ONE END RUBBING LIGHTLY TO REMOVE WRINKLES.
3. DO NOT MOVE STICKER AFTER APPLIED.

25 STICKERS 24947376
STARTING TO
NUMBER 24947400

DP5MV 1013 (R0819)

Louisiana



INSPECTION
CERTIFICATE

ONE

[Empty box for stamping]

MONTH

24793852

Emission Insert
required for E Baton
Rouge, W Baton
Rouge, Iberville,
Ascension, Livingston
Parishes ONLY

YEAR

[Empty box for stamping]

YEAR OF EXP.

LOUISIANA DEPARTMENT OF PUBLIC SAFETY AND CORRECTIONS
OFFICE OF MOTOR VEHICLES

DPSMV 1013

FRONT

**BUCKLE UP LOUISIANA
IT'S THE LAW**

DATE: _____ STA. NO. _____

YEAR: _____ MAKE: _____

ID. NO.: _____

CLASS: _____

INSPECTOR: _____

**EXPIRES LAST DAY OF
MONTH STAMPED**

BACK

**DISTRIBUTION LIST FOR DPSMV 1013
(Motor Vehicle Inspection Sticker)
1st Shipment**

	AMOUNT	RANGES
Office of Motor Vehicles #026 9310 Normandie Drive Shreveport LA 71118	4000	39000001 - 39004000
Office of Motor Vehicles #018 5171 Northeast Road Monroe, LA 71203	3000	39004001 - 39007000
Office of Motor Vehicles #014 3241 NW Evangeline Thruway Lafayette, LA 70507	3000	39007001 - 39010000
Office of Motor Vehicles #033 7701 Independence Blvd. Baton Rouge, LA 70806	10000	39010001 - 39020000
Office of Motor Vehicles #027 1514 West Lindberg Slidell, LA 70458	10000	39020001 - 39030000
Office of Motor Vehicles #028 1424 Tiger Drive Thibodaux, LA 70301	5000	39030001 - 39035000
Office of Motor Vehicles #504 7701 Independence Blvd. Baton Rouge, LA 70806	5000	39035001 - 39040000

SHIPMENT TO BE MADE BY NOVEMBER, 2019.

DPSMV – 1013 (ONE YEAR)
DPSMV – 1015 (TWO YEAR)

SPECIFICATIONS FOR LOUISIANA MOTOR VEHICLE INSPECTION STICKERS

SCOPE: These specifications cover the requirements for pressure sensitive vehicle stickers which will be applied to the inside of vehicle windshields. These stickers shall withstand a post-delivery storage shelf life of twenty-four (24) months; and, once applied, the sticker must remain firmly affixed for a minimum period of twenty four (24) months without fading, shrinking, curling or separating. Each individual sticker shall incorporate a security feature as specified below, which will preclude any possibility of reuse.

It is requested that bid be accompanied by samples of similar stickers bidder has successfully produced.

COMPOSITE MATERIAL: A polyethylene film (minimum .001") which is coated, or which is bonded, fused or laminated to a moisture-resistant backing material. The total composite material to be a minimum thickness of .004" (This does not include adhesive, ink or peel-away liner.)

ADHESIVE: Pressure sensitive with sufficient adhesion build-up or coating weight to ensure adhesion for at least twenty four (24) months from the date of application. The adhesive must be heat resistant to 300 degrees Fahrenheit. The pressure sensitive adhesive must not require water, solvent or any other wetting agent for activation. The adhesive must be removable from glass windshields and secureflex plastic coated (or equal) windshields after twenty four (24) months of service without damage to windshields or windshield coating. If any adhesive remains, it can be cleaned with a common glass cleaner. Cleaning and preparation of the surface with any alcohol or ammonia based substance on which the adhesive is to be applied shall not affect the bonding of the adhesive to window glass.

LINER: Over this adhesive must be placed an easily removed slip sheet which will protect the certificate until it is intentionally and manually removed. Liner shall be split down the center to facilitate removal.

BINDING: Stickers shall be bound in books with stiff chipboard backing and lightweight cover with twenty-five (25) stickers to each book and securely stapled with at least two (2) 3/8" staples. Books must be bound on left side and shall be perforated in such a manner as to be torn from book without difficulty or damage to sticker. The form number, form name, beginning sticker number and ending sticker number of each book shall be printed on the cover of each book; along with the application instructions. (See illustration)

WRITING SURFACE: Reverse side of sticker must permit easy writing with permanent ink and must have characteristics that will prevent smudging, smearing or easy erasure of the ink.

REMOVAL FROM WINDSHIELD: The sticker must be removable by peeling and removing any remaining adhesive with any common glass cleaner.

NUMBERING: The stickers shall show consecutive serial numbering which must be clearly visible from the outside. The size of the sticker number shown on the sticker is to be approximately 1/4" high.

Font on numbering must be the same size. No duplicate or missing numbers acceptable. Numbers cannot be handwritten.

Erasures, strike-overs, misprints will not be accepted.

SECURITY FEATURE: The stickers shall have a built in security feature. Any attempt to remove the sticker will result in mutilation, self-destruction or will cause the word "VOID" to appear in several places, thereby making the sticker impossible to reuse.

SIZE: 3 ½" x 4" including the ½ inch binding stub on the left side. After detaching from book, sticker is 3" x 4".

COLOR: All stickers manufactured under these specifications shall be made using sunfast inks, guaranteed not to fade and to remain clearly legible for a period of twenty four (24) months after the sticker has been applied to the vehicle windshield. All letters and numbers shall be in black except the word "Louisiana" and the "Louisiana" boot, which shall be PMS Blue 287-C. Within the boot, the word "Louisiana" and the State seal shall be reversed out of the blue and shall appear the same color as the background. Composition includes three (3) blocks; the inserts designating the year, month and emission test will be placed on these blocks. See attached illustration.

The backside of the sticker is to be gray (PMS Cool Gray 6-C) with printing in black ink. See attached illustration.

Vendor shall be responsible for all artwork.

FORM NUMBER AND FORMAT:

Form number DPSMV 1013 – ONE YEAR INSPECTION (see included illustration)

- Form number shall be printed on lower right corner of front of sticker in small type.
- The words "ONE" "YEAR" will be displayed on the face of each sticker.
- The sequential sticker number will be displayed in a vertical format on the face of each sticker.

Form number DPSMV 1015 – TWO YEAR INSPECTION (see included illustration)

- Form number shall be printed on lower right corner of front of sticker in small type.
- The words "TWO" "YEAR" will be displayed on the face of each sticker.
- The sequential sticker number will be displayed in a vertical format on the face of each sticker.

PACKAGING: Each consecutive five (5) books shall be bound with a rubber band and packaged in a durable carton with two hundred (200) books per carton. Cartons shall be of sufficient depth to be flush with the top of the stickers contained therein when the stickers are standing in an upright position. Books shall not be stacked in layers inside the carton. The cartons will bear the beginning and ending number of the stickers contained in that carton. Stickers shall be packaged for shipment with five thousand (5,000) stickers per case. All cartons must be securely sealed with safety tape. Packaging requirements are mandatory and shall not be deviated from in any manner.

TESTING: Successful bidder will be required to submit five (5) samples of pre-production product for testing evaluation. The samples will not require numbering and will be destroyed.

LIQUIDATED DAMAGES CLAUSE: The State reserves the right to receive compensatory damages for losses realized from failure of the supplied product to perform within the stated specifications. The State reserves the right to seek either compensation in the form of replacement product or monetary reimbursement for the failed product at the original cost to the State.

**TWO YEAR MOTOR VEHICLE
INSPECTION STICKER**

BEFORE APPLYING!

1. FILL OUT BACK OF STICKER USING PERMANENT INK.
2. APPLY MONTH STICKER IN LEFT BLOCK.
3. APPLY YEAR STICKER IN RIGHT BLOCK

APPLY TO CLEAN DRY WINDSHIELD!

1. REMOVE DECAL FROM BACKING PAPER. DO NOT MOISTEN.
2. APPLY SMOOTHLY FROM ONE END RUBBING LIGHTLY TO REMOVE WRINKLES.
3. DO NOT MOVE STICKER AFTER APPLIED.

25 STICKERS **24947376**
STARTING **TO**
NUMBER **24947400**

DPSMV 1015 (R0819)

3"



4"



Louisiana




INSPECTION
CERTIFICATE
TWO


24793852

Emission Insert
required for E. Baton
Rouge, W. Baton
Rouge, Iberville,
Ascension, Livingston
Parishes ONLY

YEAR



MONTH



YEAR OF EXP.

LOUISIANA DEPARTMENT OF PUBLIC SAFETY AND CORRECTIONS
OFFICE OF MOTOR VEHICLES

SPSMV 1016

3"

**BUCKLE UP LOUISIANA
IT'S THE LAW**

DATE: _____ STA. NO: _____

YEAR: _____ MAKE: _____

ID. NO.: _____

CLASS: _____

INSPECTOR: _____

**EXPIRES LAST DAY OF
MONTH STAMPED**

4"

**DISTRIBUTION LIST FOR DPSMV 1015
(Motor Vehicle Inspection Sticker)
1st Shipment**

	AMOUNT	RANGES
Office of Motor Vehicles #026 9310 Normandie Drive Shreveport LA 71118	10000	12510001-12520000
Office of Motor Vehicles #018 5171 Northeast Road Monroe, LA 71203	5000	12520001-12525000
Office of Motor Vehicles #014 3241 NW Evangeline Thruway Lafayette, LA 70507	10000	12525001-12535000
Office of Motor Vehicles #033 7701 Independence Blvd. Baton Rouge, LA 70806	10000	12535001-12545000
Office of Motor Vehicles #027 1514 West Lindberg Slidell, LA 70458	10000	12545001-12555000
Office of Motor Vehicles #028 1424 Tiger Drive Thibodaux, LA 70301	10000	12555001- 12565000
Office of Motor Vehicles #504 7701 Independence Blvd. Baton Rouge, LA 70806	4000	12565001-12569000
Office of Motor Vehicles #505 1710 West Second St. Crowley, LA 70526	1000	12569001-12570000

SHIPMENT TO MADE BY NOVEMBER, 2019.