

# Approved Materials List



## Product Category : Timber

**MATERIAL : 1014M00105 Timber, Douglas Fir Treated**

**APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA**      **Phone :** 318-925-6903      **Ext. # :**  
 10818 Providence Road      **Fax :**  
 Shreveport, LA 71129

**Product**      **Approved On**      **Remarks**  
 DouglasFirTrtd Arnold Forest Products      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS**      **Phone :** 601-749-7140      **Ext. # :**  
 1900 Rosa Street      **Fax :**  
 Picayune, MS 39466

**Product**      **Approved On**      **Remarks**  
 DouglasFirTrtd Carptrs Pile amd Poling      5-25-2017      Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta (Penta Chlorophenol), CCA (Chromated Copper Arsenate)

**APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MS**      **Phone :** 601-928-7026      **Ext. # :**  
 P. O . Box 758      **Fax :**  
 North Magnolia Drive  
 Wiggins, MS 39577

**Product**      **Approved On**      **Remarks**  
 DouglasFirTrtd Carptrs Pole and Piling      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012830 — DeSoto Treated Materials - Wiggins, MS**      **Phone :** 601-928-3921      **Ext. # :**  
 Old Hwy 49      **Fax :**  
 State Rouge 29 South  
 Wiggins, MS 39577

**Product**      **Approved On**      **Remarks**  
 DouglasFirTrtd Desoto Treated Matls      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS**      **Phone :** 601-833-2311      **Ext. # :**  
 96 Sawmill Lane      **Fax :**  
 Brookhaven, MS 39601

**Product**      **Approved On**      **Remarks**  
 DouglasFirTrtd GordonReddPreserving,Inc      5-25-2017      Approved Treatent: CCA (Chromated Copper Arsenate)

**APS00012840 — Kisatchie Treating, LLC - Converse, LA**      **Phone :** 318-645-7525      **Ext. # :**  
 10020 Highway 483      **Fax :**  
 Converse, LA 71419

**Product**      **Approved On**      **Remarks**  
 DouglasFirTrtd Kisatchie Treating, LLC      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00014090 — McFarland Cascade - Lufkin, TX**      **Phone :** 936-634-4552      **Ext. # :**  
 P. O. Box 1207      **Fax :**  
 Lufkin, TX 75902-1202

**Product**      **Approved On**      **Remarks**  
 DouglasFirTrtd McFarland Cascade-Lufkin      2-14-2019      Approved Treatment: Number 1 Pure Creosote

**Product Category : Timber****MATERIAL : 1014M00105 Timber, Douglas Fir Treated**

**APS00012820 — McFarland Cascade - Pineville, LA**  
 74 Wadley Street  
 Pineville, LA 71361-0231

**Phone : 318-442-2467 Ext. # :**  
**Fax :**

<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>
DouglasFirTrtd McFarland Cascade	5-25-2017	Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penra (Penta Chlorophenol), CCA (Chromated Copper Arsenate).

**MATERIAL : 1014M00135 Timber, StrlGluedLaminate,GLULAM Treated**

**APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA**  
 10818 Providence Road  
 Shreveport, LA 71129

**Phone : 318-925-6903 Ext. # :**  
**Fax :**

<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>
GLULAM Trtd Arnold Forest Prod	5-25-2017	Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS**  
 1900 Rosa Street  
 Picayune, MS 39466

**Phone : 601-749-7140 Ext. # :**  
**Fax :**

<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>
GLULAM Trtd Carptrs Pile amd Poling	5-25-2017	Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta (Penta Chlorophenol), CCA (Chromated Copper Arsenate)

**APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MS**  
 P. O . Box 758  
 North Magnolia Drive  
 Wiggins, MS 39577

**Phone : 601-928-7026 Ext. # :**  
**Fax :**

<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>
GLULAM Trtd Carptrs Pole and Piling	5-25-2017	Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012830 — DeSoto Treated Materials - Wiggins, MS**  
 Old Hwy 49  
 State Rouge 29 South  
 Wiggins, MS 39577

**Phone : 601-928-3921 Ext. # :**  
**Fax :**

<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>
GLULAM Trtd Desoto Treated Matls	5-25-2017	Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS**  
 96 Sawmill Lane  
 Brookhaven, MS 39601

**Phone : 601-833-2311 Ext. # :**  
**Fax :**

<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>
GLULAM Trtd Gordon Redd Preserving,Inc	5-25-2017	Approved Treatment; CCA (Chromated Copper Arsenate)

**APS00012840 — Kisatchie Treating, LLC - Converse, LA**  
 10020 Highway 483  
 Converse, LA 71419

**Phone : 318-645-7525 Ext. # :**  
**Fax :**

<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>
GLULAM Trtd Kisatchie Treating, LLC	5-25-2017	Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012820 — McFarland Cascade - Pineville, LA**  
 74 Wadley Street  
 Pineville, LA 71361-0231

**Phone : 318-442-2467 Ext. # :**  
**Fax :**

<u>Product</u>	<u>Approved On</u>	<u>Remarks</u>
GLULAM Trtd McFarland Cascade	5-25-2017	Approved Treatmentmt:CCA (Chromated Copper Arsenate)

**Product Category : Timber****MATERIAL : 1014M00165 Timber, Southern Pine, Treated**

**APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA**      **Phone :** 318-925-6903      **Ext. # :**  
 10818 Providence Road      **Fax :**  
 Shreveport, LA 71129

**Product**      **Approved On**      **Remarks**  
 SouthernPineTrtd Arnold Forest Products      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS**      **Phone :** 601-749-7140      **Ext. # :**  
 1900 Rosa Street      **Fax :**  
 Picayune, MS 39466

**Product**      **Approved On**      **Remarks**  
 SouthernPineTrtd Carptrs Pile and Poling      5-25-2017      Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta (Penta Chlorophenol), CCA (Chromated Copper Arsenate)

**APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MS**      **Phone :** 601-928-7026      **Ext. # :**  
 P. O . Box 758      **Fax :**  
 North Magnolia Drive  
 Wiggins, MS 39577

**Product**      **Approved On**      **Remarks**  
 SouthernPineTrtd Carptrs Pole and Piling      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012830 — DeSoto Treated Materials - Wiggins, MS**      **Phone :** 601-928-3921      **Ext. # :**  
 Old Hwy 49      **Fax :**  
 State Rouge 29 South  
 Wiggins, MS 39577

**Product**      **Approved On**      **Remarks**  
 SouthernPineTrtd Desoto Treated Matls      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS**      **Phone :** 601-833-2311      **Ext. # :**  
 96 Sawmill Lane      **Fax :**  
 Brookhaven, MS 39601

**Product**      **Approved On**      **Remarks**  
 SouthernPineTrtd Gordon Redd Preserving      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012840 — Kisatchie Treating, LLC - Converse, LA**      **Phone :** 318-645-7525      **Ext. # :**  
 10020 Highway 483      **Fax :**  
 Converse, LA 71419

**Product**      **Approved On**      **Remarks**  
 SouthernPineTrtd Kisatchie Treating, LLC      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00014090 — McFarland Cascade - Lufkin, TX**      **Phone :** 936-634-4552      **Ext. # :**  
 P. O. Box 1207      **Fax :**  
 Lufkin, TX 75902-1202

**Product**      **Approved On**      **Remarks**  
 SouthernPineTrtd McFarland CascadeLufkin      2-14-2019      Approved Treatment: Number 1 Pure Creosote

**APS00012820 — McFarland Cascade - Pineville, LA**      **Phone :** 318-442-2467      **Ext. # :**  
 74 Wadley Street      **Fax :**  
 Pineville, LA 71361-0231

**Product**      **Approved On**      **Remarks**  
 SouthernPineTrtd McFarland Cascade      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)