

KANSAS DEPARTMENT OF TRANSPORTATION
SPECIAL PROVISION LIST

PAGE: 1
DATE: 09/12/20

STATE PROJECT NO: U036-045 KA-5827-01

STATE CONTRACT NO: 520102262

FEDERAL PROJ NO. ACNHP-A582(701)

PRIMARY DISTRICT: 2

PRIMARY COUNTY: JEWELL

DESCRIPTION: 2.0 SURFACE RECYCLE AND CHIP SEAL. US-36, FR 4.632 MI E OF K14 E JCT TO
JW/RP CO LI IN JW CO. LENGTH IS 5.621 MI.

NOTE: THE FOLLOWING LIST OF SPECIAL PROVISIONS ARE FOR THIS PROJECT.
OMISSION OF ALL OR PART OF A SPECIAL PROVISION IN THE ATTACHED
PROPOSAL (CONTRACT) DOES NOT RELIEVE THE CONTRACTOR OF THE
RESPONSIBILITY FOR OBTAINING THE COMPLETE PROVISION AS LISTED.

PROVISION NO. DESCRIPTION

| | |
|--------------|--|
| 08-10-66-R05 | REQUIRED CONTRACT PROVISION-NONCOLLUSION / HISTORY-DEBARMENT |
| 04-30-82-R07 | REQUIRED CONTRACT PROVISION-FINANCIAL PREQUALIFICATION |
| 08-04-92-R03 | REQUIRED CONTRACT PROVISION-CONTRACTUAL SERVICES-LEGISLATOR |
| 04-26-90-R05 | REQUIRED CONTRACT PROVISION-LIMITS OF FED FUNDS FOR LOBBYING |
| 10-10-00-R08 | REQUIRED CONTRACT PROVISION-PRICE ADJUSTMENT FOR FUEL |
| 07-19-80-R13 | REQUIRED CONTRACT PROVISION-DBE CONTRACT GOAL |
| 11-03-80-R09 | REQUIRED CONTRACT PROVISION-NOTICE FOR AFFIRMATIVE ACTION |
| 11-15-96-R05 | REQUIRED CONTRACT PROVISION-EEO REQUIREMENT |
| 07-01-17-R1 | REQUIRED CONTRACT PROVISION - BOYCOTT OF ISRAEL PROHIBITED |
| KS20200091M1 | MINIMUM WAGE RATE (JEWELL COUNTY) (5-8-20) |
| 09-06-94-R01 | NOTICE TO CONTRACTORS (USDOT HOTLINE) |
| 01-01-11-R01 | REQUIRED CONTRACT PROVISION-TAX CLEARANCE CERTIFICATE |
| FHWA-1273 | REQUIRED CONTRACT PROVISION-FEDERAL-AID CONSTRUCTION CONTRACTS |
| 03-10-06-R01 | REQUIRED CONTRACT PROVISION-DBE SUPPLIERS/REGULAR DEALERS |
| 07-18-80-R29 | REQUIRED CONTRACT PROVISION-UTILIZATION OF DBE'S |
| 15-ER-1-R20 | ERRATA SHEET FOR STD SPEC BOOK FOR RD & BR CONST, 2015 ED |
| 03-01-18 | POLICY AGAINST SEXUAL HARASSMENT |
| 15-01002 | INFORMATION TO CONTRACTORS (STATUS OF UTILITIES) |
| 15-01010 | EMULSIFIED ASPHALT ADJUSTMENT |
| 15-01011-R06 | ENVIRONMENTAL CONCERNS - MIGRATORY BIRD TREATY ACT |
| 15-01012-R01 | SEASONAL LIMITATIONS |
| 15-01016-R03 | PROSECUTION AND PROGRESS |
| 15-01017 | CARGO PREFERENCE ACT |
| 15-01018 | CONTROL OF MATERIALS |
| 15-01019-R02 | CONTROL OF WORK |
| 15-01021-R03 | BIDDING REQUIREMENTS AND CONDITIONS |
| 15-01022-R04 | SCOPE OF WORK |
| 15-01023 | BIDDING REQUIREMENTS AND CONDITIONS |
| 15-01024 | AWARD AND EXECUTION OF CONTRACT |
| 15-08001-R03 | WORK ZONE TRAFFIC CONTROL AND SAFETY (FOR 1R'S) |
| 15-08019-R01 | WORK ZONE TRAFFIC CONTROL & SAFETY |
| 15-12001-R01 | GENERAL REQUIREMENT DIVISION 1200 |
| 15-17004-R04 | RELEASE COMPOUND FOR ASPHALT MIXES |
| 15-22004-R02 | PAVEMENT MARKING PAINT |
| 15-22005-R03 | IMAGE SYSTEMS |

KANSAS DEPARTMENT OF TRANSPORTATION
SPECIAL PROVISION LIST

PAGE: 2
DATE: 09/12/20

STATE PROJECT NO: U036-045 KA-5827-01

STATE CONTRACT NO: 520102262

FEDERAL PROJ NO. ACNHP-A582(701)

PRIMARY DISTRICT: 2

PRIMARY COUNTY: JEWELL

DESCRIPTION: 2.0 SURFACE RECYCLE AND CHIP SEAL. US-36, FR 4.632 MI E OF K14 E JCT TO
JW/RP CO LI IN JW CO. LENGTH IS 5.621 MI.

NOTE: THE FOLLOWING LIST OF SPECIAL PROVISIONS ARE FOR THIS PROJECT.
OMISSION OF ALL OR PART OF A SPECIAL PROVISION IN THE ATTACHED
PROPOSAL (CONTRACT) DOES NOT RELIEVE THE CONTRACTOR OF THE
RESPONSIBILITY FOR OBTAINING THE COMPLETE PROVISION AS LISTED.

PROVISION NO. DESCRIPTION

| | |
|--------------|--|
| 15-22006-R01 | RETROREFLECTIVE SHEETING |
| 15-23001-R02 | WOOD POSTS |
| 15-23003 | FIELD HANDLING AND PRESERVATIVE TREATMENT OF WOOD PRODUCTS |
| 15-25001-R06 | PART V |
| 15-25002-R01 | CONSTRUCTION MANUAL - PART V |
| 15-26001-R08 | MATERIALS CERTIFICATIONS |
| 15-PS0018 | COMBINATION, TIED BIDS ON 1R PROJECTS WITH FEDERAL-AID FUNDS |

END OF SPECIAL PROVISION LIST



General Notes

7/2/2020


Page 1 of 1

Project No. 36-45 KA 5827-01

Note

- 1 The Contractor is responsible for establishing and maintaining centerline of the traveled way for the duration of the project. Splitting the traveled way with a tape measure is an acceptable technique to establish centerline. This work is considered subsidiary to other items in the Contract.
- 2 All work should be coordinated so that all lanes will be open to traffic by one half hour before sunset. No lane closures or detours will be allowed overnight.
- 3 Permanent Pavement Marking shall be done by KDOT.

TYPICAL SECTION US 36



not to scale

ROADWAY WIDTHS

| Location | mile | Approx. Sur Rec. Width | Surface Recycle Square Yards | Approx. Seal Width | Asphalt Seal Square Yards |
|-------------------|-------|------------------------|------------------------------|--------------------|---------------------------|
| US 36 Mainline | 5.621 | 24' | 78,133 | 24' | 78,133 |
| US 36 Shoulders | 5.621 | | | 2 @ 10' | 65,111 |
| Exceptions; | | | | | |
| Bridge 010 174.0' | | | | | |
| Bridge 011 102.0' | | | | | |
| Bridge 012 103.0' | | | | | |
| Widenings; | | | | | |
| Balch Cemetery DW | | | | 20' | 1,911 |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

RATE OF APPLICATION

Asphalt Rejuvenating Agent @0.35 gal/yd²

Emulsified Asphalt CRS-1HP @ 0.38 gal/yd²

Cover Material CM-L-2 @ 0.0082 yd³/ yd²

| | | |
|------------|-----------------------------------|--|
| | Date: 7/20/2020 10:52 AM | KANSAS DEPARTMENT OF TRANSPORTATION |
| Jewell Co. | PROJ. NO. 36-45 KA 5827-01 | TITLE: SRCHIPLOADTALT |

**SUMMARY OF TRAFFIC CONTROL DEVICES
(FOR INFORMATION ONLY)**

All traffic control devices shall be placed in accordance with the applicable KDOT Traffic Control Standards. The contractor shall provide all signs and other traffic control devices for proper traffic control of all construction activities. Quantities listed are estimates only. Contractor operations may require additional signs and traffic control devices, this will be subsidiary to the bid item traffic control.

| WORK ZONE SIGNS * | | | |
|-------------------|----------------|------------|--------------|
| SIGN NO. | SIZE - SQ. FT. | | |
| | 0-9.25 | 9.26-16.25 | 16.26 & OVER |
| R2-1 | | | |
| R4-1 | 2 | | |
| W3-4 | | 2 | |
| W3-5 | | | |
| W8-11 | | | |
| W14-3 | 2 | | |
| W20-1 | | 9 | |
| W20-4 | | 2 | |
| W20-5 | | | |
| W20-7 | | 2 | |
| W21-5 | | | |
| W8-15 | | | |
| W8-15P | | | |
| G20-4 | 1 | | |
| | | | |
| KG20-5 | 8 | | |
| KM4-20 | | | |
| KG20-2 | 9 | | |
| KI-104a | | 2 | |
| KI-105a | | 2 | |

| LIGHTED DEVICES * | |
|---|--|
| WORK ZONE WARNING LIGHT (TYPE "A" LOW INTENSITY) | |
| WORK ZONE WARNING LIGHT (RED TYPE "B" HIGH INTENSITY) | |
| ARROW DISPLAY | |
| PORTABLE CHANGEABLE MESSAGE SIGN | |

| BARRICADES * | | CHANNELIZING DEVICES * | | |
|----------------------|------------|------------------------|----------|------------|
| TYPE III (4' TO 12') | PEDESTRIAN | FIXED | PORTABLE | PEDESTRIAN |
| | | | 50 | |

**SUMMARY OF TRAFFIC CONTROL DEVICES
(EACH)**

| WORK ZONE SIGN (SPECIAL) | | |
|--------------------------|----------------------|----------------------|
| SIGN NO. | 16.25 SQ. FT. & LESS | 16.26 SQ. FT. & OVER |
| | | |
| | | |
| | | |
| | | |
| | | |

RECAPITULATION OF QUANTITIES

| ITEM | QUANTITY | UNIT |
|---|----------|-----------|
| WORK ZONE SIGNS (0 TO 9.25 SQ. FT.) | | EADA |
| WORK ZONE SIGNS (9.26 TO 16.25 SQ. FT.) | | EADA |
| WORK ZONE SIGNS (16.26 SQ. FT. & OVER) | | EADA |
| WORK ZONE BARRICADES (TYPE 3 - 4' TO 12') | | EADA |
| WORK ZONE BARRICADES (PEDESTRIAN) | | EADA |
| CHANNELIZER (FIXED) | | EADA |
| CHANNELIZER (PORTABLE) | | EADA |
| CHANNELIZER (PEDESTRIAN) | | EADA |
| WORK ZONE WARNING LIGHT (TYPE "A" LOW INTENSITY) | | EADA |
| WORK ZONE WARNING LIGHT (RED TYPE "B" HIGH INTENSITY) | | EADA |
| ARROW DISPLAY | | EADA |
| PORTABLE CHANGEABLE MESSAGE SIGN | | EADA |
| PAVEMENT MARKING (TEMPORARY) | | |
| 4" SOLID (TYPE I) | | STA./LINE |
| 4" SOLID (TYPE II) | | STA./LINE |
| 4" BROKEN (8")(TYPE I) | | STA./LINE |
| 4" BROKEN (8")(TYPE II) | | STA./LINE |
| 4" BROKEN (3")(TYPE I) | | STA./LINE |
| 4" BROKEN (3")(TYPE II) | 586.0 | STA./LINE |
| 4" DOTTED EXTENSION (TYPE I) | | STA./LINE |
| 4" DOTTED EXTENSION (TYPE II) | | STA./LINE |
| SOLID (LINE MASKING TAPE) | | STA./LINE |
| BROKEN (LINE MASKING TAPE) | | STA./LINE |
| SYMBOL (TYPE I) | | EACH |
| SYMBOL (TYPE II) | | EACH |
| FLEXIBLE RAISED PAVEMENT MARKERS (4" BROKEN (8')) | | STA./LINE |
| FLEXIBLE RAISED PAVEMENT MARKERS (4" BROKEN (3')) | 293.0 | STA./LINE |
| PAVEMENT MARKING REMOVAL | | LIN. FT. |
| WORK ZONE SIGN (SPECIAL) (16.25 SQ. FT. & LESS) | | EACH |
| WORK ZONE SIGN (SPECIAL) (16.26 SQ. FT. & OVER) | | EACH |
| RIGID RAISED PAVEMENT MARKER (TYPE I) | | EACH |
| RIGID RAISED PAVEMENT MARKER (TYPE II) | | EACH |
| TRAFFIC SIGNAL INSTALLATION (TEMPORARY) | | LUMP SUM |
| TRAFFIC CONTROL (INITIAL SET UP) | | LUMP SUM |
| TRAFFIC CONTROL | 1 | LUMP SUM |
| FLAGGER (SET PRICE) | 1 | HOURLY |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |

NOTES:

All signs listed are the minimum required. The Contractor shall provide all signs and other traffic control devices, for the proper traffic control of all construction activities.

| 3 | | | | |
|--|----------|---|--------|-------------------|
| 2 | | | | |
| 1 | 11/10/16 | Removed Replacement Modules Summary Table, Added "(IBS)" to Replacement Modules description | JGB | |
| NO. | DATE | REVISIONS | BY | APP'D |
| KANSAS DEPARTMENT OF TRANSPORTATION | | | | |
| TRAFFIC CONTROL SUMMARY OF DEVICES RECAPITULATION OF QUANTITIES | | | | |
| TE795 | | | | |
| FHWA APPROVAL | | 06/01/15 | APP'D | Kristina Erickson |
| DESIGNED | B.A.H. | DETAILED | R.W.B. | QUANTITIES |
| DESIGN CK. | | DETAIL CK. | | QUAN. CK. |
| | | | | TRACED |
| | | | | TRACE CK. |

Jewell Co.

Proj. No. 36-45 D 2243-21

Title: SR + Chip Seal