



TEMPORARY SEDIMENT BASIN FOR DEWATERING DISCHARGE
NOT TO SCALE

BASIN NOTES:

1. CONTRACTOR TO BRACE HAY BALES AS REQUIRED FOR STABILITY.
2. DIMENSIONS TO VARY DEPENDENT UPON DE-WATERING RATE.
3. VOLUME OF BASIN IS EQUAL TO THE MAXIMUM VOLUME OF WATER CAPABLE OF BEING PUMPED OVER ONE HOUR. THIS VOLUME CAN BE DETERMINED BY PUMP MANUFACTURER'S SPECIFICATIONS. IF PUMPING VOLUME EXCEEDS BASIN CAPACITY, BASIN MAY BE USED IN TANDEM OR IN TIERS.
4. SPECIAL RIPRAP STONE SHALL CONFORM TO NO. 3 STONE AS SHOWN IN SECTION M.01.01 OF CONNDOT FORM 817 WITH SUPPLEMENTAL SPECIFICATIONS.
5. AT THE COMPLETION OF THE WORK, THE BASIN AND ALL RELATED MATERIALS SHALL BE REMOVED FROM THE SITE, AND THE AREA SHALL BE RETURNED TO ITS ORIGINAL CONDITION BY THE CONTRACTOR AS DIRECTED BY THE ENGINEER. THE COST OF THIS WORK WILL BE INCLUDED IN THE GENERAL COST OF THE WORK.
6. THE TEMPORARY SEDIMENT BASIN SHALL BE DESIGNED IN ACCORDANCE WITH 2002 CONNECTICUT GUIDELINES FOR SOIL EROSION AND SEDIMENT CONTROL.
7. TEMPORARY SEDIMENT BASIN SHALL BE PAID FOR UNDER THE PAY ITEM NO. 0204401A HANDLING WATER (SITE NO. 1).
7. TEMPORARY SEDIMENT BASIN SHALL BE PAID FOR UNDER THE PAY ITEM NO. 0204001 COFFERDAM AND DEWATERING.

ADDENDUM NO. 3

<p>THE INFORMATION, INCLUDING ESTIMATED QUANTITIES OF WORK, SHOWN ON THESE SHEETS IS BASED ON LIMITED INVESTIGATIONS BY THE STATE AND IS IN NO WAY WARRANTED TO INDICATE THE CONDITIONS OF ACTUAL QUANTITIES OF WORK WHICH WILL BE REQUIRED.</p>				<p>DESIGNER/DRAFTER: NB</p> <p>CHECKED BY: PB</p> <p>NOT TO SCALE</p>	<p>STATE OF CONNECTICUT DEPARTMENT OF TRANSPORTATION</p> <p>Filename: ...\\HW_MSH_141_154_MDS2_A3(10.30.2020).dgn</p>	<p>SIGNATURE/ BLOCK:</p> <p>GM2 ASSOCIATES, INC. 115 GLASTONBURY BLVD. GLASTONBURY, CT 06033</p>	<p>PROJECT TITLE:</p> <p>HDPE CULVERT LINING OF BRIDGE NO. 06793 I-395 OVER LITTLE MOUNTAIN BROOK</p>	<p>TOWN:</p> <p>THOMPSON</p> <p>DRAWING TITLE:</p> <p>MISCELLANEOUS DETAILS - 2</p>	<p>PROJECT NO.</p> <p>141-154</p> <p>DRAWING NO.</p> <p>HWY-03</p> <p>SHEET NO.</p> <p>02.02.03.A3</p>
<p>REV. DATE REVISION DESCRIPTION SHEET NO. Plotted Date: 10/30/2020</p>	<p>10/30/20 REVISED NOTE 7, REMOVED OIL ABSORBENT BLANKET 02.02.03.A3</p>								