

# Approved Materials List



## Product Category : Timber

**MATERIAL : 1014M00105 Timber, Douglas Fir Treated**

**APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA**      **Phone :** 318-925-6903      **Ext. # :**  
 10818 Providence Road      **Fax :**  
 Shreveport, LA 71129

Product      Approved On      Remarks  
 DouglasFirTrtd Arnold Forest Products      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS**      **Phone :** 601-749-7140      **Ext. # :**  
 1900 Rosa Street      **Fax :**  
 Picayune, MS 39466

Product      Approved On      Remarks  
 DouglasFirTrtd Carptrs Pile amd Poling      5-25-2017      Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta (Penta Chlorophenol), CCA (Chromated Copper Arsenate)

**APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MS**      **Phone :** 601-928-7026      **Ext. # :**  
 P. O . Box 758      **Fax :**  
 North Magnolia Drive  
 Wiggins, MS 39577

Product      Approved On      Remarks  
 DouglasFirTrtd Carptrs Pole and Piling      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012830 — DeSoto Treated Materials - Wiggins, MS**      **Phone :** 601-928-3921      **Ext. # :**  
 Old Hwy 49      **Fax :**  
 State Rouge 29 South  
 Wiggins, MS 39577

Product      Approved On      Remarks  
 DouglasFirTrtd Desoto Treated Matls      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS**      **Phone :** 601-833-2311      **Ext. # :**  
 96 Sawmill Lane      **Fax :**  
 Brookhaven, MS 39601

Product      Approved On      Remarks  
 DouglasFirTrtd GordonReddPreserving,Inc      5-25-2017      Approved Treatent: CCA (Chromated Copper Arsenate)

**APS00014600 — Stella Jones - Lufkin, TX**      **Phone :**      **Ext. # :**  
 P. O. Box 1207      **Fax :**  
 Lufkin, TX 75902-1702

Product      Approved On      Remarks  
 DouglasFirTrtd Stella Jones-Lufkin      12-16-2020      Approved Treatment: Number 1 Pure Creosote

**APS00014590 — Stella Jones - Noble, LA**      **Phone :** 318-471-5587      **Ext. # :**  
 10020 Highway 483      **Fax :**  
 Converse, LA 71419      **Contact :** Josh Lewis

Product      Approved On      Remarks  
 DouglasFirTrtd Stella Jones Converse      12-16-2016      Approved Treatment: CCA (Chromated Copper Arsenate)

**Product Category : Timber****MATERIAL : 1014M00105 Timber, Douglas Fir Treated****APS00014610 — Stella Jones - Pineville, LA**74 Wadley Street  
Pineville, LA 71361-0231**Phone :****Fax :****Ext. # :**ProductApproved On Remarks

DouglasFirTrtd Stella Jones-Pineville

12-16-2020

Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penra (Penta Chlorophenol), CCA (Chromated Copper Arsenate).

**MATERIAL : 1014M00135 Timber, StrlGluedLaminate,GLULAM Treated****APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA**10818 Providence Road  
Shreveport, LA 71129**Phone :** 318-925-6903**Fax :****Ext. # :**ProductApproved On Remarks

GLULAM Trtd Arnold Forest Prod

5-25-2017

Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS**1900 Rosa Street  
Picayune, MS 39466**Phone :** 601-749-7140**Fax :****Ext. # :**ProductApproved On Remarks

GLULAM Trtd Carptrs Pile amd Poling

5-25-2017

Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta (Penta Chlorophenol), CCA (Chromated Copper Arsenate)

**APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MS**P. O . Box 758  
North Magnolia Drive  
Wiggins, MS 39577**Phone :** 601-928-7026**Fax :****Ext. # :**ProductApproved On Remarks

GLULAM Trtd Carptrs Pole and Piling

5-25-2017

Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012830 — DeSoto Treated Materials - Wiggins, MS**Old Hwy 49  
State Rounge 29 South  
Wiggins, MS 39577**Phone :** 601-928-3921**Fax :****Ext. # :**ProductApproved On Remarks

GLULAM Trtd Desoto Treated Matls

5-25-2017

Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS**96 Sawmill Lane  
Brookhaven, MS 39601**Phone :** 601-833-2311**Fax :****Ext. # :**ProductApproved On Remarks

GLULAM Trtd Gordon Redd Preserving,Inc

5-25-2017

Approved Treatment; CCA (Chromated Copper Arsenate)

**APS00014590 — Stella Jones - Noble, LA**10020 Highway 483  
Converse, LA 71419**Phone :** 318-471-5587**Fax :****Ext. # :****Contact :** Josh LewisProductApproved On Remarks

GLULAM Trtd Stella Jones Converse

12-16-2016

Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00014610 — Stella Jones - Pineville, LA**74 Wadley Street  
Pineville, LA 71361-0231**Phone :****Fax :****Ext. # :**ProductApproved On Remarks

GLULAM Trtd Stella Jones-Pineville

12-16-2020

Approved Treatment:CCA (Chromated Copper Arsenate)

**Product Category : Timber****MATERIAL : 1014M00165 Timber, Southern Pine, Treated**

**APS00012790 — Arnold Forest Products - (Greenwood)Shreveport, LA**      **Phone :** 318-925-6903      **Ext. # :**  
 10818 Providence Road      **Fax :**  
 Shreveport, LA 71129

Product      Approved On      Remarks  
 SouthernPineTrtd Arnold Forest Products      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012810 — Carpenters Pile & Poling, LLC - Picayune, MS**      **Phone :** 601-749-7140      **Ext. # :**  
 1900 Rosa Street      **Fax :**  
 Picayune, MS 39466

Product      Approved On      Remarks  
 SouthernPineTrtd Carptrs Pile and Poling      5-25-2017      Approved Treatment: Number 1 Creosote, Creosote Coal Tar, Penta (Penta Chlorophenol), CCA (Chromated Copper Arsenate)

**APS00012800 — Carpenters Pole & Piling Co. - Wiggins, MS**      **Phone :** 601-928-7026      **Ext. # :**  
 P. O . Box 758      **Fax :**  
 North Magnolia Drive  
 Wiggins, MS 39577

Product      Approved On      Remarks  
 SouthernPineTrtd Carptrs Pole and Piling      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012830 — DeSoto Treated Materials - Wiggins, MS**      **Phone :** 601-928-3921      **Ext. # :**  
 Old Hwy 49      **Fax :**  
 State Rouge 29 South  
 Wiggins, MS 39577

Product      Approved On      Remarks  
 SouthernPineTrtd Desoto Treated Matls      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00012860 — Gordon Redd Preserving, Inc. - Brookhaven, MS**      **Phone :** 601-833-2311      **Ext. # :**  
 96 Sawmill Lane      **Fax :**  
 Brookhaven, MS 39601

Product      Approved On      Remarks  
 SouthernPineTrtd Gordon Redd Preserving      5-25-2017      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00014600 — Stella Jones - Lufkin, TX**      **Phone :**      **Ext. # :**  
 P. O. Box 1207      **Fax :**  
 Lufkin, TX 75902-1702

Product      Approved On      Remarks  
 SSouthernPineTrtd Stella Jones-Lufkin      12-16-2020      Approved Treatment: Number 1 Pure Creosote

**APS00014590 — Stella Jones - Noble, LA**      **Phone :** 318-471-5587      **Ext. # :**  
 10020 Highway 483      **Fax :**  
 Converse, LA 71419      **Contact :** Josh Lewis

Product      Approved On      Remarks  
 SouthernPineTrtd Stella Jones Converse      12-16-2016      Approved Treatment: CCA (Chromated Copper Arsenate)

**APS00014610 — Stella Jones - Pineville, LA**      **Phone :**      **Ext. # :**  
 74 Wadley Street      **Fax :**  
 Pineville, LA 71361-0231

Product      Approved On      Remarks  
 SouthernPineTrtd Stella Jones-Pineville      12-16-2020      Approved Treatment: CCA (Chromated Copper Arsenate)

**MATERIAL : 1014M00430 Timber Preserv, ChromatedCopperArsenate**

**Product Category : Timber**

**MATERIAL : 1014M00430 Timber Preserv, ChromatedCopperArsenate**

**APS00014460 – S. I. Storey Lumber Company, Inc - Armuchee,GAS. I**

285 Sike Storey Road

Armuchee, GA 30105

**Phone : 706-331-1605**

**Ext. # :**

**Fax :**

**Contact : Charles Coleman**

**Additional Info :** Mailing Address: P. O. Box 99, Armuchee, GA 30105

Product

Approved On Remarks

Chromated Copper Arsenate - S.I.Storey

7-31-2020